

## Esipuhe ja sisällysluettelo

Tämän luettelon tarkoitus on toimia apuna televerkko yrityksille niiden julkaistessa liittymiensä ominaisuuksia radio- ja telepäätelaitedirektiivin (1999/5/EY) artiklan 4.2 mukaisesti. Luettelo ei välttämättä ole kattava.

Useista luettelossa mainituista standardeista on olemassa monta versiota. Televerkko yrityksen on liittymää kuvatessaan aiheellista mainita kyseisen standardin kohdalla myös implementoitu versio.

Sisällysluettelo:

1. PSTN-liittymän standardit
2. ISDN-liittymän standardit
3. GSM-liittymän standardit
4. Vuokrajohtojen liittymästandardit
5. INTERNET-standardit
6. Kytkeäisten laajakaistaverkkojen standardit

## 1. PSTN

### **GFI 9404**

Guidelines for Implementation; National PSTN Mapping for V5 interface

### **GFI 9702**

Guidelines for Implementation; Public Switched Telephone Network (PSTN); Subscriber line protocol over the local loop for display (and related) services

### **SFS 5694**

Signalling in the public switched telephone network (PSTN). Signalling connection control part SCCP of the national signalling system no. 7. Application of ITU-T recommendations Q.711-Q.714 and Q.716 in Finland Yleisen puhelinverkon merkinanto. Kansallisen yhteiskanavamerkinantojärjestelmän merkinantoyhteyden ohjauksena SCCP. ITU-T-suositusten Q.711-Q.714 ja Q.716 soveltaminen Suomessa

### **SFS 5749**

Signalling in the public switched telephone network (PSTN). Handling of cause information related to call failure Yleisen puhelinverkon merkinanto. Puhelun epäonnistumiseen liittyvän syyinformaation käsittely

### **SFS 5774**

Public switched telephone network (PSTN) exchanges. Facilities. Priority Yleisen puhelinverkon keskuskeskukset. Toiminteet. Etuoikeutettu liittymä ja suunta

### **EN 300 823**

Universal Personal Telecommunication (UPT). UPT Phase 2. Functional specification of the interface of a UPT Integrated Circuit Card (ICC) and Public Switched Telephone Network (PSTN). Integrated Services Digital Network (ISDN) and Global System for Mobile communications (GSM) terminals (one pass and multiple pass authentication)

### **EN 301 363**

Universal Personal Telecommunication (UPT). UPT phase 2. Functional specification of the interface of a UPT Integrated Circuit Card (ICC) and Public Switched Telephone Network (PSTN). Integrated Services Digital Network (ISDN) and Global System for Mobile communications (GSM) terminals (one pass and multiple pass authentication)

### **ETS 300 392-4-1**

Terrestrial Trunked Radio (TETRA). Voice plus Data (V+D). Part 4: Gateways basic operation. Sub-part 1: Public Switched Telephone Network (PSTN)

### **ETS 300 600**

European digital cellular telecommunications system (Phase 2). Signalling requirements on interworking between the Integrated Services Digital Network (ISDN) or Public Switched Telephone Network (PSTN) and the Public Land Mobile Network (PLMN) (GSM 09.03)

**ETS 300 604**

Digital cellular telecommunications system (Phase 2). General requirements on inter-working between the Public Land Mobile Network (PLMN) and the Integrated Services Digital Network (ISDN) or Public Switched Telephone Network (PSTN) (GSM 09.07 version 4.13.1)

**ETS 300 648**

Public Switched Telephone Network (PSTN). Calling Line Identification Presentation (CLIP) supplementary service. Service description

**ETS 300 649**

Public Switched Telephone Network (PSTN). Calling Line Identification Restriction (CLIR) supplementary service. Service description

**ETS 300 659-1**

Public Switched Telephone Network (PSTN). Subscriber line protocol over the local loop for display (and related) services. Part 1: On hook data transmission

**ETS 300 659-2**

Public Switched Telephone Network (PSTN). Subscriber line protocol over the local loop for display (and related) services. Part 2: Off-hook data transmission

**ETS 300 710**

Integrated Services Digital Network (ISDN). Public Switched Telephone Network (PSTN). Universal Access Number (UAN) service. Service description

**ETS 300 711**

Integrated Services Digital Network (ISDN). Public Switched Telephone Network (PSTN). Virtual Card Calling (VCC). Service description

**ETS 300 712**

Integrated Services Digital Network (ISDN). Public Switched Telephone Network (PSTN). Premium Rate (PRM) service. Service description

**ETS 300 713**

Integrated Services Digital Network (ISDN). Public Switched Telephone Network (PSTN). Televoting (VOT) service. Service description

**ETS 300 801**

Digital Video Broadcasting (DVB). Interaction channel throughout Public Switched Telecommunications Network (PSTN)/ Integrated Services Digital Networks (ISDN)

**EN 300 823**

Universal Personal Telecommunication (UPT); Functional specification of the interface of a UPT Integrated Circuit Card (ICC) and Public Switched Telephone Network (PSTN), Integrated Services Digital Network (ISDN) and Global System for Mobile communications (GSM) terminals (one pass and multiple pass authentication)

**ETS 300 834**

Terminal Equipment (TE). Narrowband networks (PSTN or ISDN). Access to interactive audio-visual retrieval services without datafacility. Access for ISDN or PSTN videophony terminals to audio-visual databases

**ETS 300 976**

Digital cellular telecommunications system (Phase 2+). General requirements on interworking between the Public Land Mobile Network (PLMN) and the Integrated Services Digital Network (ISDN) or Public Switched Telephone Network (PSTN) (GSM 09.07 version 5.

**2. ISDN****GFI 9301** ed. 3

ISDN access signalling; Basic call control procedures

**GFI 9302** ed. 3

ISDN supplementary services; Functional protocol

**GFI 9303 ed. 2**

ISDN supplementary services; Keypad protocol

**GFI 9402**

Guidelines for Implementation; ISDN Packet mode bearer services

**GFI 9403**

Guidelines for Implementation; ISDN Basic rate user access; Physical layer characteristics

**GFI 9602**

Guidelines for Implementation; B-ISDN access signalling, Digital subscriber signalling protocol DSS2

**GFI 9404**

Guidelines for Implementation; National PSTN Mapping for V5 interface

**GFI 9702**

Guidelines for Implementation; Public Switched Telephone Network (PSTN); Subscriber line protocol over the local loop for display (and related) services

**GFI 9801**

Guidelines for Implementation; Characteristics of the analogue interface (R-interface) of the ISDN terminal adapter

**GFI 9804**

Supplementary service codes

**GFI 9805**

IN/ISDN Interworking

**GFI 9901**

ISUP 3 Interworking

**GFI 9902**

ISUP 3 Charging

**ETR 018**

Integrated Services Digital Network (ISDN);  
Application of the Bearer Capability (BC), High Layer Compatibility (HLC) and Low Layer Compatibility (LLC) information elements by terminals supporting ISDN services

**ETR 080**

Integrated Services Digital Network (ISDN) basic rate access;  
Digital transmission system on metallic local lines

**SFS 5689**

Signalling in telecommunications network. ISDN user part ISUP of the national signalling system No. 7. Application of CCITT recommendations Q.761. Q.764 and Q.766 in Finland  
Televerkon merkinanto. Kansallisen yhteiskanavamerkinantojärjestelmän ISDN-käyttäjäosa ISUP. CCITT:n suositusten Q.761 - Q.764 ja Q.766 soveltaminen Suomessa

**SFS 5778**

Signalling in the public switched telephone network (PSTN). ISDN User Part ISUP Version 2 of the national Signalling System No7. Supplementary Services  
Yleisen puhelinverkon merkinanto. Kansallisen yhteiskanavamerkinantojärjestelmän ISDN-käyttäjäosa ISUP, versio 2. Lisäpalvelut

**SFS 5779**

Signalling in the public switched telephone network (PSTN). ISDN User Part ISUP Version 2 of the national Signalling System No. 7. Application of ITU-T recommendations Q.761. Q.764 and Q.766 in Finland  
Yleisen puhelinverkon merkinanto. Kansallisen yhteiskanavamerkinantojärjestelmän ISDN-käyttäjäosa ISUP, versio 2. ITU-T -suositusten Q.761 - Q.764 ja Q.766 soveltaminen Suomessa

**SFS 5813**

Signalling in the public switched telephone network. Release 1 of the national Broadband ISDN User Part (B-ISUP). Application of ITU-T recommendations Q.2671-Q.2764, Q.2730 and Q.2660 in Finland

Yleisen puhelinverkon merkinanto. Kansallisen yhteiskanavamerkinantojärjestelmän laajakaistaverkon ISDN-käyttäjäosa B-ISUP, versio 1. ITU-T:n suositusten Q.2671-Q.2764, Q.2730 ja Q.2660 soveltaminen Suomessa

**SFS 5868**

Signalling in the public switched telephone network (PSTN). ISDN User Part ISUP Version 3 of the national Signalling System No. 7. Supplementary services

Yleisen puhelinverkon merkinanto. Kansallisen yhteiskanavamerkinantojärjestelmän ISDN-käyttäjäosa ISUP, versio 3. Lisäpalvelut

**SFS 5869**

Signalling in the public switched telephone network (PSDN). ISDN User Part ISUP Version 3 of the national Signalling System No. 7. Application of ITU-T recommendations Q.730 and Q.761. Q.766 in Finland

Yleisen puhelinverkon merkinanto. Kansallisen yhteiskanavamerkinantojärjestelmän ISDN-käyttäjäosa ISUP, versio 3. ITU-T -suositusten Q.730 ja Q.761 - Q.766 soveltaminen Suomessa

**EN 50098-2**

Customer premises cabling for information technology. Part 2: 2048 kbit/s ISDN primary access and leased line network interface

Tietotekniikan kiinteistökaapelointi. Osa 2: 2048 kbit/s ISDN-järjestelmä- ja vuokrajohtoliittymä

**ENV 41111**

Information systems interconnection. ISDN. Provision of OSI connection-mode transport service over the OSI connection-mode network service by using an ISDN circuit-mode 64 kbit/s unrestricted bearer service. Permanent case

Tietojärjestelmien yhteenliittäminen. ISDN. Yhteydellisen OSI- kuljetuspalvelun tuottaminen käyttäen yhteydellistä OSI- verkkopalvelua ISDN piirikytkentäisessä 64 kbit/s rajoittamattomassa verkkopalvelussa. Kiinteän yhteyden palvelu

**EN 28877**

Information technology. Telecommunications and information exchange between systems. Interface connector and contact assignments for ISDN Basic Access Interface located at reference points S and T (ISO/IEC8877:1992)

**EN 300 052-1**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. MSN supplementary service. Part 1: Protocol specification

**EN 300 052-2**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. MSN PICS supplementary service. Part 2: PICS proforma specification

**EN 300 055-1**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. TP supplementary service. Part 1: Protocol specification

**EN 300 055-2**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. TP PICS supplementary services. Part 2: PICS proforma specification

**EN 300 058-1**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. CW supplementary service. Part 1: Protocol specification

**EN 300 058-2**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. CW PICS supplementary service. Part 2: PICS proforma specification

**EN 300 061-1**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. SUB supplementary service. Part 1: Protocol specification

**EN 300 061-2**

Integrated Service Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. SUB PICS supplementary service. Part 2: PICS proforma specification

**EN 300 064-1**

Integrated services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. DDI supplementary services. Part 1: Protocol specification

**EN 300 064-2**

Integrated services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. DDI supplementary services. Part 2: PICS proforma specification

**EN 300 092-1**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. CLIP supplementary service. Part 1: Protocol specification

**EN 300 092-2**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. CLIP PICS supplementary service. Part 2: PICS proforma specification

**EN 300 093-1**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. CLIR supplementary service. Part 1: Protocol specification

**EN 300 093-2**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. CLIR PICS supplementary service. Part 2: PICS proforma specification

**EN 300 097-1**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. COLP supplementary service. Part 1: Protocol specification

**EN 300 097-2**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. COLP PICS supplementary service. Part 2: PICS proforma specification

**EN 300 098-1**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. COLR supplementary service. Part 1: Protocol specification

**EN 300 098-2**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. COLR PICS supplementary service. Part 2: PICS proforma specification

**EN 300 122-1**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. Generic keypad supplementary service. Part 1: Protocol specification

**EN 300 122-2**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. Generic keypad PICS supplementary service. Part 2: PICS proforma specification

**EN 300 130-1**

en 1998-09-28, 0+16 s. 2)

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. MCID supplementary service. Part 1: Protocol specification

**EN 300 130-2**

en 1998-09-28, 0+19 s. 2)

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. MCID PICS supplementary service. Part 2: PICS proforma specification

**EN 300 138-1**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. CUG supplementary service. Part 1: Protocol Specification

**FS-EN 300 138-2**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. CUG

PICS supplementary service. Part 2: PICS proforma specification

**EN 300 141-1**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. HOLD supplementary service. Part 1: Protocol specification

**EN 300 141-2**

en 1998-09-28, 0+23 s. 2)

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. HOLD PICS supplementary service. Part 2: PICS proforma specification

**EN 300 182-1**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. AOC supplementary service. Part 1: Protocol specification

**EN 300 182-2**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. AOC PICS supplementary service. Part 2: PICS proforma specification

**EN 300 185-1**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. CONF supplementary service. Part 1: Protocol specification

**EN 300 185-2**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. CONF PICS supplementary service. Part 2: PICS proforma specification

**EN 300 188-1**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. 3PTY supplementary service. Part 1: Protocol specification

**EN 300 188-2**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. 3PTY PICS supplementary service. Part 2: PICS proforma specification

**EN 300 195-1**

Integrated Services Digital Network (ISDN). Supplementary services interaction. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 1: Protocol specification

**EN 300 195-2**

Integrated Services Digital Network (ISDN). Supplementary services interaction. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification

**EN 300 196-1**

Integrated Services Digital Network (ISDN). Generic functional protocol for the support of supplementary services. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 1: Protocol specification

**EN 300 207-1**

en 1998-11-30, 0+93 s. 2)

Integrated Services Digital Network (ISDN). Diversion supplementary services. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 1: Protocol specification

**EN 300 207-2**

Integrated Services Digital Network (ISDN). Diversion supplementary services. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification

**EN 300 210-1**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. FPH supplementary service. Part 1: Protocol specification

**EN 300 210-2**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. FPH PICS supplementary service. Part 2: PICS proforma specification

**EN 300 267-1**

Integrated Services Digital Network (ISDN). Telephony 7 kHz, videotelephony, audiographic conference and videoconference teleservices. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 1. Protocol specification

**EN 300 267-2**

Integrated Services Digital Network (ISDN). Telephony 7 kHz, videotelephony, audiographic conference and videoconference teleservices. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification

**EN 300 286-1**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. UUS supplementary service. Part 1: Protocol specification

**EN 300 286-2**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. UUS PICS supplementary service. Part 2: PICS proforma specification

**EN 300 299**

Broadband Integrated Services Digital Network (B-ISDN). Cell based user network access for 155 520 kbit/s and 622 080 kbit/s. Physical layer interfaces for B-ISDN applications

**EN 300 301-1**

Broadband Integrated Services Digital Network (B-ISDN). Traffic control and congestion control in B-ISDN. Conformance definitions for Available Bit Rate (ABT) and ATM Blocked Transfer (ABR)

**EN 300 356-1**

Integrated Services Digital Network (ISDN). Signalling System No.7. ISDN User Part (ISUP) version 3 for the international interface. Part 1: Basic services

**EN 300 356-2**

Integrated Services Digital Network (ISDN). Signalling System No.7. ISDN User Part (ISUP) version 3 for the international interface. Part 2: ISDN supplementary services

**EN 300 356-3**

Integrated Services Digital Network (ISDN). Signalling System No.7. ISDN User Part (ISUP) version 3 for the international interface. Part 3: Calling Line Identification Presentation (CLIP) supplementary services

**EN 300 356-4**

Integrated Services Digital Network (ISDN). Signalling System No.7. ISDN User Part (ISUP) version 3 for the international interface. Part 4: Calling Line Identification Restriction (CLIR) supplementary services

**EN 300 356-5**

Integrated Services Digital Network (ISDN). Signalling System No.7. ISDN User Part (ISUP) version 3 for the international interface. Part 5: Connected Line Identification Presentation (COLP) supplementary services

**EN 300 356-6**

Integrated Services Digital Network (ISDN). Signalling System No.7. ISDN User Part (ISUP) version 3 for the international interface. Part 6: Connected Line Identification Restriction (COLR) supplementary service

**EN 300 356-7**

Integrated Services Digital Network (ISDN). Signalling System No.7. ISDN User Part (ISUP) version 3 for the international interface. Part 7: Terminal Portability (TP) supplementary service

**EN 300 356-8**

Integrated Services Digital Network (ISDN). Signalling System No.7. ISDN User Part (ISUP) version 3 for the international interface. Part 8: User-to-User Signalling (UUS) supplementary service

**EN 300 356-9**

Integrated Services Digital Network (ISDN). Signalling System No.7. ISDN User Part (ISUP) version 3 for the international interface. Part 9: Closed User Group (CUG) supplementary service

**EN 300 356-10**

Integrated Services Digital Network (ISDN). Signalling System No.7. ISDN User Part (ISUP) version 3 for the

international interface. Part 10: Subaddressing (SUB) supplementary service

**EN 300 356-11**

Integrated Services Digital Network (ISDN). Signalling System No.7. ISDN User Part (ISUP) version 3 for the international interface. Part 11: Malicious Call Identification (MCID) supplementary service

**EN 300 356-12**

Integrated Services Digital Network (ISDN). Signalling System No.7. ISDN User Part (ISUP) version 3 for the international interface. Part 12: Conference Call, add-on (CONF) supplementary service

**EN 300 356-14**

Integrated Services Digital Network (ISDN). Signalling System No.7. ISDN User Part (ISUP) version 3 for the international interface. Part 14: Explicit Call Transfer (ECT) supplementary service

**EN 300 356-15**

Integrated Services Digital Network (ISDN). Signalling System No.7. ISDN User Part (ISUP) version 3 for the international interface. Part 15: Diversion supplementary service

**EN 300 356-16**

Integrated Services Digital Network (ISDN). Signalling System No.7. ISDN User Part (ISUP) version 3 for the international interface. Part 16: Call Hold (HOLD) supplementary service

**EN 300 356-17**

Integrated Services Digital Network (ISDN). Signalling System No.7. ISDN User Part (ISUP) version 3 for the international interface. Part 17: Call Waiting (CW) supplementary service

**EN 300 356-18**

Integrated Services Digital Network (ISDN). Signalling System No.7. ISDN User Part (ISUP) version 3 for the international interface. Part 18: Completion of Calls to Busy Subscriber (CCBS) supplementary service

**EN 300 356-19**

Integrated Services Digital Network (ISDN). Signalling System No.7. ISDN User Part (ISUP) version 3 for the international interface. Part 19: Three-Party (3PTY) supplementary service

**EN 300 356-20**

Integrated Services Digital Network (ISDN). Signalling System No. 7. ISDN User Part (ISUP) version 3 for the international interface. Part 20: Completion of Calls on No Reply (CCNR) supplementary service

**EN 300 359-1**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. CCBS supplementary service. Part 1: Protocol specification

**EN 300 359-2**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. CCBS PICS supplementary service. Part 2: PICS proforma specification

**EN 300 367**

Integrated Services Digital Network (ISDN). Explicit Call Transfer (ECT) supplementary service. Service description

**EN 300 368**

Integrated Services Digital Network (ISDN). Explicit Call Transfer (ECT) supplementary service. Functional capabilities and information flows

**EN 300 369-1**

Integrated Services Digital Network (ISDN). Explicit Call Transfer (ECT) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 1: Protocol specification

**EN 300 369-2**

Integrated Services Digital Network (ISDN). Explicit Call Transfer (ECT) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification

**EN 300 402-4**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. Data

link layer. Part 4: Protocol Implementation Conformance Statement (PICS) proforma specification for the general protocol

**EN 300 403-1**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. Signalling network layer for circuit-mode basic call control. Part 1: Protocol specification

**EN 300 403-3**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. Signalling network layer for circuit-mode basic call control. Part 3: Protocol Implementation Conformance Statement (PICS) proforma specification

**EN 300 443-1**

Broadband Integrated Services Digital Network (B-ISDN). Digital Subscriber Signalling System No. two (DSS2) protocol. B-ISDN user-network interface layer 3 specification for basic call/bearer control. Part 1: Protocol specification

**EN 300 443-2**

Broadband Integrated Services Digital Network (B-ISDN). Digital Subscriber Signalling System No. two (DSS2) protocol. B-ISDN user-network interface layer 3 specification for basic call/bearer control. Part 2: Protocol Implementation Conformance Statement

**EN 300 485**

Integrated Services Digital Network (ISDN). Definition and usage of cause and location in Digital Subscriber Signalling System No. one (DSS1) and Signalling System No. 7. ISDN User Part (ISUP)

**EN 300 646-1**

Integrated Services Digital Network (ISDN). Signalling System No. 7. Digital cellular telecommunications system (Phase 2). Application of ISDN User Part (ISUP) version 2 for the ISDN-Public Land Mobile Network (PLMN) signalling interface.

**EN 300 647-1**

Broadband Integrated Services Digital Network (B-ISDN). Signalling ATM Adaptation Layer (SAAL). Layer Management for the SAAL at the Network Node Interface (NNI). Part 1: Service Specific Connection Oriented Protocol (SSCOP) and Service Specific Co-ordination Function (SSCF)

**EN 300 745-1**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. MWI supplementary service. Part 1: Protocol specification

**EN 300 745-2**

Integrated Services Digital network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. MWI PICS supplementary service. Part 2: PICS proforma specification

**EN 300 823**

Universal Personal Telecommunication (UPT). UPT Phase 2. Functional specification of the interface of a UPT Integrated Circuit Card (ICC) and Public Switched Telephone Network (PSTN). Integrated Services Digital Network (ISDN) and Global System for Mobile communications (GSM) terminals (one pass and multiple pass authentication)

**EN 300 899-1**

Integrated Services Digital Network (ISDN). Signalling System No.7. Interworking between ISDN User Part (ISUP) version 2 and Digital Subscriber Signalling System No. one (DSS1). Part 1: Protocol specification

**EN 301 001-1**

Integrated Services Digital Network (ISDN). Outgoing Call Barring (OCB) supplementary services. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 1: Protocol specification

**EN 301 001-2**

Integrated Services Digital Network (ISDN). Outgoing Call Barring (OCB) supplementary services. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification

**EN 301 002-1**

Integrated Services Digital Network (ISDN). Security tools (SET) procedures. Digital Subscriber Signalling

System No. one (DSS1) protocol. Part 1: Protocol specification

**EN 301 002-2**

Integrated Services Digital Network (ISDN). Security tools (SET) procedures. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification

**EN 301 003-1**

Broadband Integrated Services Digital Network (B-ISDN). Digital Subscriber Signalling System No. two (DSS2) protocol. Connection characteristics. Peak cell rate modification by the connection owner. Part 1: Protocol specification

**EN 301 003-2**

Broadband Integrated Services Digital Network (B-ISDN). Digital Subscriber Signalling System No. two (DSS2) protocol. Connection characteristics. Peak cell rate modification by the connection owner.

**EN 301 004-1**

Broadband Integrated Services Digital Network (B-ISDN). Signalling System No. 7. Message Transfer Part (MTP) level 3 functions and messages to support international interconnection Part 1: Protocol specification

**EN 301 007-1**

Integrated Services Digital Network (ISDN). Signalling System No. 7: Operation, Maintenance and Administration Part (OMAP). Part 1: Protocol specification

**EN 301 029-1**

Broadband Integrated Services Digital Network (B-ISDN). Signalling System No. 7. B-ISDN User Part (B-ISUP). Part 1: Overview of the B-ISDN network node interface signalling capability set 2, step 1 (ITU-T Recommendation Q.2721.1 (1996))

**EN 301 029-2**

Broadband Integrated Services Digital Network (B-ISDN). Signalling System No. 7. B-ISDN User Part (B-ISUP). Part 2: Network node interface specification for point-to-point multipoint call/connection control (ITU-T Recommendation Q.2722 (1996))

**EN 301 029-3**

Broadband Integrated Services Digital Network (B-ISDN). Signalling System No. 7. B-ISDN User Part (B-ISUP). Part 3: Support of additional traffic parameters for statistical bit rate and quality of service

**EN 301 029-4**

Broadband Integrated Services Digital Network (B-ISDN). Signalling System No.7. B-ISDN User Part (B-ISUP). Part 4: Look-ahead without state change for the network node interface (ITU-T Recommendation Q.2724.1 (1996))

**EN 301 029-5**

Broadband Integrated Services Digital Network (B-ISDN). Signalling System No.7. B-ISDN User Part (B-ISUP). Part 5: Support of negotiation during connection setup (ITU-T Recommendation Q.2725.1 (1996))

**EN 301 029-6**

Broadband Integrated Services Digital Network (B-ISDN). Signalling System No. 7. B-ISDN User Part (B-ISUP). Part 6: Modification procedures (ITU-T Recommendation Q.2725.2 (1996))

**EN 301 029-7**

Broadband Integrated Services Digital Network (B-ISDN). Signalling System No.7. B-ISDN User Part (B-ISUP). Part 7: ATM end system address for calling and called party

**EN 301 029-9**

Broadband Integrated Services Digital Network (B-ISDN). Signalling System No.7. B-ISDN User Part (B-ISUP) Part 9: Network generated session identifier (ITU-T Recommendation Q.2726.3 (1996))

**EN 301 029-10**

Broadband Integrated Services Digital Network (B-ISDN). Signalling System No. 7. B-ISDN User Part (B-ISUP). Part 10: Support of frame relay

**EN 301 060-1**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. Basic

call applications enhancement at the "b" service entry point for Virtual Private Network (VPN) applications.  
Part 1: Protocol specification

**EN 301 060-2**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. Basic call control. Enhancement at the "b" service entry point for Virtual Private Network (VPN) applications. Part 2: Protocol Implementation Confo

**EN 301 061-1**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. Generic functional protocol for the support of supplementary services for Virtual Private Network (VPN) applications. Part 1: Protocol specification

**EN 301 061-2**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. Generic functional protocol for the support of supplementary services for Virtual Private Network (VPN) applications. Part 2: Protocol Implementation

**EN 301 062-1**

Integrated Services Digital Network (ISDN). Signalling System No. 7. Support of Virtual Private Network (VPN) application with Private network Q reference point Signalling System number 1 (PSS1) information flows. Part 1: Protocol specification

**EN 301 065-1**

Integrated Services Digital Network (ISDN). Completion of Calls on No Reply (CCNR) supplementary services. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 1: Protocol specification

**EN 301 065-2**

Integrated Services Digital Network (ISDN). Completion of Calls on No Reply (CCNR) supplementary services. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification

**EN 301 067-1**

Broadband Integrated Services Digital Network (B-ISDN). Digital Subscriber Signalling System No. two (DSS2) protocol. Connection characteristics. Negotiation during call/connection establishment phase. Part 1: Protocol specification

**EN 301 067-2**

Broadband Integrated Services Digital Network (B-ISDN). Digital Subscriber Signalling System No. two (DSS2) protocol. Connection characteristics. Negotiation during call/connection establishment phase. Part 2: Protocol Implementation Conformance Statement

**EN 301 068-1**

Broadband Integrated Services Digital Network (B-ISDN). Digital Subscriber Signalling System No. two (DSS2) protocol. Connection characteristics. ATM transfer capability and traffic parameter indication. Part 1: Protocol specification

**EN 301 069-1**

Integrated Services Digital Network (ISDN). Signalling System No. 7. ISDN User Part (ISUP). Application Transport Mechanism. Part 1: Protocol specification

**EN 301 070-1**

Integrated Services Digital Network (ISDN). Signalling System No. 7. ISDN user Part (ISUP) version 3 interactions with the Intelligent Network Application Part (INAP). Part 1: Protocol specification

**EN 301 082**

Network Aspects (NA). Integrated Services Digital Network (ISDN) Outgoing Call Barring Fixed (OCB-F). Service description

**EN 301 084**

Network Aspects (NA). Integrated Services Digital Network (ISDN) Outgoing Call Barring-User Controlled (OCB-UC) supplementary service. Service description

**EN 301 117**

Broadband -ISDN (B-ISDN). ATM Adaptation Layer (AAL). Sublayers: Service Specific Co-ordination Function

(SCF) to provide the Connection-Oriented Transport Service (COTS) [ITU-T Recommendation I.365.3 (1995)]

**EN 301 131**

Integrated Services Digital Network (ISDN). Teleaction teleservice. Service description

**EN 301 132**

Integrated Services Digital Network (ISDN). Security tools (SET) for use within telecommunication services

**EN 301 133**

Integrated Services Digital Network (ISDN). Selective Call Forwarding (SCF) supplementary services (unconditional, busy and no reply). Service description

**EN 301 134**

Integrated Services Digital Network (ISDN). Completion of Calls on No Reply (CCNR) supplementary service. Service description

**EN 301 145-1**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. Teleaction teleservice. Part 1: Protocol specification

**EN 301 145-2**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. Teleaction teleservice. Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification

**EN 301 174-1**

Broadband Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS2) protocol. Signalling specification for frame relay service. Part 1: Protocol specification

**EN 301 174-2**

Broadband Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. two (DSS2) protocol. Signalling specification for frame relay service. Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification

**EN 301 276-1**

Broadband Integrated Services Digital Network (B-ISDN). Digital Subscriber Signalling system No. two (DSS2) protocol. Connection characteristics. Modification procedures for sustainable cell rate parameters. Part 1: Protocol specification

**EN 301 276-2**

Broadband Integrated Services Digital Network (B-ISDN). Digital Subscriber Signalling System No. two (DSS2) protocol. Connection characteristics. Modification procedures for sustainable cell rate parameters. Part 2: Protocol Implementation Conformance Statement

**EN 301 361-1**

Digital Enhanced Cordless Telecommunications (DECT). Integrated Services Digital Network (ISDN). ISDN Mobility protocol Interworking specification Profile (IMIP). Part 1: DECT/ISDN interworking for Cordless Terminal Mobility (CTM) support

**EN 301 363**

Universal Personal Telecommunication (UPT). UPT phase 2. Functional specification of the interface of a UPT Integrated Circuit Card (ICC) and Public Switched Telephone Network (PSTN). Integrated Services Digital Network (ISDN) and Global System for Mobil

**EN 302 091-1**

Broadband Integrated Services Digital Network (B-ISDN) and Broadband Private Integrated Services Network (B-PISN). Digital Subscriber Signalling System No. two (DSS2), Broadband Inter-Exchange Signalling (B-QSIG), and Signalling System No. 7 (SS7).

**EN 302 091-2**

Broadband Integrated Services Digital Network (B-ISDN) and Broadband Private Integrated Services Network (B-PISN). Digital Subscriber Signalling System No. two (DSS2), Broadband Inter-Exchange Signalling (B-QSIG), and Signalling System No. 7 (SS7).

**EN 302 092-1**

Broadband Integrated Services Digital Network (B-ISDN) and Broadband Private Integrated Services Network (B-

PISN). Digital Subscriber Signalling System No. two (DSS2), Broadband Inter-Exchange Signalling (B-QSIG), and Signalling System No. 7 (SS7). Call

**EN 302 092-2**

Broadband Integrated Services Digital Network (B-ISDN) and Broadband Private Integrated Services Network (B-PISN). Digital Subscriber Signalling System No. two (DSS2), Broadband Inter-Exchange Signalling (B-QSIG), and Signalling System No. 7 (SS7). Call

**EN 302 094-1**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) and Signalling System No. 7 (SS7) protocols. Call Forwarding on Not Reachable (CFNRc) supplementary service for Cordless Terminal Mobility (CTM) phase 1. Part

**EN 302 094-2**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) and Signalling System No. 7 (SS7) protocols. Call Forwarding on Not Reachable (CFNRc) supplementary service for Cordless Terminal Mobility (CTM) phase 1. Part

**ETS 300 007**

Integrated Services Digital Network (ISDN). Support of packet mode terminal equipment by an ISDN

**ETS 300 008-1**

Integrated services digital network (ISDN). Signalling system no.7. Message transfer part (MTP) to support international interconnection. Part 1: Protocol specification

**ETS 300 008-2**

Integrated Services Digital Network (ISDN). Signalling System No.7. Message Transfer Part (MTP) to support international interconnection. Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification

**ETS 300 009-1**

Integrated Services Digital Network (ISDN). Signalling System No. 7. Signalling Connection Control Part (SCCP) (connectionless and connection-oriented class 2) to support international interconnection. Part 1: Protocol specification

**ETS 300 009-2**

Integrated Services Digital Network (ISDN); Signalling System No. 7. Signalling Connection Control Part (SCCP) (connectionless and connection-oriented class 2) to support international interconnection. Part 2: Protocol Implementation Conformance Statement

**ETS 300 011-1**

Integrated Services Digital Network (ISDN). Primary rate User Network Interface (UNI). Part 1: Layer 1 specification

**ETS 300 011-2**

Integrated Services Digital Network (ISDN). Primary rate User Network Interface (UNI). Part 2: Conformance test specification for interface IA and IB

**ETS 300 011-3**

Integrated Services Digital Network (ISDN). Primary rate User-Network Interface (UNI). Part 3: Implementation Conformance Statement (ICS) and Implementation eXtra Information for Testing (IXIT) proforma specification for interface IA and IB

**ETS 300 012-1**

Integrated Services Digital Network (ISDN). Basic User-Network Interface (UNI). Part 1: Layer 1 specification

**ETS 300 048**

Integrated Services Digital Network (ISDN). ISDN Packet Mode Bearer Services (PMBS) . ISDN Virtual Call (VC) and Permanent Virtual Circuit (PVC) bearer services provided by the B-channel of the user access. basic and primary rate

**ETS 300 049**

Integrated Services Digital Network (ISDN). ISDN Packet Mode Bearer Service (PMBS). ISDN Virtual Call (VC) and Permanent Virtual Circuit (PVC) bearer services provided by the D-channel of the user access. basic and primary rate

**ETS 300 050**

Integrated Services Digital Network (ISDN). Multiple Subscriber Number (MSN) supplementary service. Service description

**ETS 300 051**

Integrated Services Digital Network (ISDN). Multiple Subscriber Number (MSN) supplementary service. Functional capabilities and information flows

**EN 300 052-1**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. MSN supplementary service. Part 1: Protocol specification

**EN 300 052-2**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. MSN PICS supplementary service. Part 2: PICS proforma specification

**EN 300 052-3**

Integrated Services Digital Network (ISDN). Multiple Subscriber Number (MSN) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 3: Test Suite Structure and Test Purposes (TSS&TP) specification for the user

**EN 300 052-4**

Integrated Services Digital Network (ISDN). Multiple Subscriber Number (MSN) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 4: Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for

**EN 300 052-5**

Integrated Services Digital Network (ISDN). Multiple Subscribers Number (MSN) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 5: Test Suite Structure and Test Purposes (TSS&TP) specification for the network

**EN 300 052-6**

Integrated Services Digital Network (ISDN). Multiple Subscriber Number (MSN) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 6: Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for

**ETS 300 053**

Integrated Services Digital Network (ISDN). Terminal Portability (TP) supplementary service. Service description

**ETS 300 054**

Integrated Services Digital Network (ISDN). Terminal Portability (TP) supplementary service. Functional capabilities and information flows

**EN 300 055-1**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. TP supplementary service. Part 1: Protocol specification

**EN 300 055-2**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. TP PICS supplementary services. Part 2: PICS proforma specification

**ETS 300 056**

Integrated Services Digital Network (ISDN). Call Waiting (CW) supplementary service . Service description

**ETS 300 056/A1**

Integrated services digital network (ISDN). Call waiting (CW) supplementary service. Service description

**ETS 300 057**

Integrated Services Digital Network (ISDN). Call Waiting (CW) supplementary service . Functional capabilities and information flows

**EN 300 058-1**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. CW

supplementary service. Part 1: Protocol specification

**EN 300 058-2**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. CW PICS supplementary service. Part 2: PICS proforma specification

**EN 300 058-3**

Integrated Services Digital Network (ISDN). Call Waiting (CW) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 3: Test Suite Structure and Test Purposes(TSS&TP) specification for the user

**EN 300 058-4**

Integrated Services Digital Network (ISDN). Call Waiting (CW) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 4: Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT)

**EN 300 058-5**

Integrated Services Digital Network (ISDN). Call Waiting (CW) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 5: Test Suite Structure and Test Purposes(TSS&TP) specification for the network

**EN 300 058-6**

Integrated Services Digital Network (ISDN). Call Waiting (CW) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 6: Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT)

**ETS 300 059**

Integrated Services Digital Network (ISDN). Subaddressing (SUB) supplementary service. Service description

**ETS 300 060**

Integrated Services Digital Network (ISDN). Subaddressing (SUB) supplementary service. Functional capabilities and information flows

**EN 300 061-1**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. SUB supplementary service. Part 1: Protocol specification

**EN 300 061-2**

Integrated Service Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. SUB PICS supplementary service. Part 2: PICS proforma specification

**EN 300 061-3**

Integrated Services Digital Network (ISDN). Subaddressing (SUB) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 3: Test Suite Structure and Test Purposes (TSS&TP) specification for the user

**EN 300 061-4**

Integrated Services Digital Network (ISDN). Subaddressing (SUB) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 4: Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT)

**EN 300 061-5**

Integrated Services Digital network (ISDN). Subaddressing (SUB) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 5: Test Suite Structure and Test Purposes (TSS&TP) specification for the network

**EN 300 061-6**

Integrated Services Digital Network (ISDN). Subaddressing (SUB) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 6: Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXI)

**ETS 300 062**

Integrated Services Digital Network (ISDN). Direct Dialling In (DDI) supplementary service. Service description

**ETS 300 063**

Integrated Services Digital Network (ISDN). Direct Dialling In (DDI) supplementary service. Functional capabilities and information flows

**EN 300 064-1**

Integrated services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. DDI supplementary services. Part 1: Protocol specification

**EN 300 064-2**

Integrated services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. DDI supplementary services. Part 2: PICS proforma specification

**EN 300 064-3**

Integrated Services Digital Network (ISDN). Direct Dialling in (DDI) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 3: Test Suite Structure and Test Purposes (TSS&TP) specification for the user

**EN 300 064-4**

Integrated Services Digital Network (ISDN). Direct Dialling in (DDI) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 4: Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the user

**EN 300 064-5**

Integrated Services Digital Network (ISDN). Direct Dialling in (DDI) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 5: Test Suite Structure and Test Purposes (TSS&TP) specification for the network

**EN 300 064-6**

Integrated Services Digital Network (ISDN). Direct Dialling in (DDI) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 6: Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the network

**ETS 300 082**

Integrated services digital network (ISDN). 3.1 kHz telephony teleservice. End-to-end compatibility

**ETS 300 087**

Integrated Services Digital Network (ISDN). Facsimile group 4 class 1 on the ISDN. Functional specification of the equipment

**ETS 300 089**

Integrated Services Digital Network (ISDN). Calling line identification presentation (CLIP) supplementary service. Service description

**ETS 300 090**

Integrated Services Digital Network (ISDN). Calling line identification restriction (CLIR) supplementary service. Service description

**ETS 300 091**

Integrated services digital network (ISDN). Calling line identification restriction (CLIR) supplementary services. Functional capabilities and information flows

**EN 300 092-1**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. CLIP supplementary service. Part 1: Protocol specification

**EN 300 092-2**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. CLIP PICS supplementary service. Part 2: PICS proforma specification

**EN 300 092-3**

Integrated Services Digital Network (ISDN). Calling Line Identification Presentation (CLIP) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 3: Test Suite Structure and Test Purposes (TSS&TP) specification for the user

**EN 300 092-4**

Integrated Services Digital Network (ISDN). Calling Line Identification Presentation (CLIP) supplementary

service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 4: Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the user

**EN 300 092-5**

Integrated Services Digital Network (ISDN). Calling Line Identification Presentation (CLIP) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 5: Test Suite Structure and Test Purposes (TSS&TP) specification for the network

**EN 300 092-6**

Integrated Services Digital Network (ISDN). Calling Line Identification Presentation (CLIP) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 6: Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the network

**ETS 300 094**

Integrated service digital network (ISDN). Connected line identification presentation (COLP) supplementary service. Service description

**ETS 300 095**

Integrated service digital network (ISDN). Connected line identification restriction (COLR) supplementary service. Service description

**ETS 300 096**

Integrated services digital network (ISDN). Connected line identification presentation (COLP) and connected line identification restriction (COLR) supplementary services. Functional capabilities and information flows

**EN 300 097-1**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. COLP supplementary service. Part 1: Protocol specification

**EN 300 097-2**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. COLP PICS supplementary service. Part 2: PICS proforma specification

**EN 300 097-3**

Integrated Services Digital Network (ISDN). Connected Line Identification Presentation (COLP) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 3: Test Suite Structure and Test purposes (TSS&TP) specification for the user

**EN 300 097-4**

Integrated Services Digital Network (ISDN). Connected Line Identification Presentation (COLP) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. COLP PICS supplementary service. Part 4: Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the user

**EN 300 097-5**

Integrated Services Digital Network (ISDN). Connected Line Identification Presentation (COLP) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. COLP PICS supplementary service. Part 5: Test Suite Structure and Test Purposes (TSS&TP) specification for the network

**EN 300 097-6**

Integrated Services Digital Network (ISDN). Connected Line Identification Presentation (COLP) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. COLP PICS supplementary service. Part 6: Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the network

**EN 300 098-1**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. COLR supplementary service. Part 1: Protocol specification

**EN 300 098-2**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. COLR PICS supplementary service. Part 2: PICS proforma specification

**EN 300 098-3**

Integrated Services Digital Network (ISDN). Connected Line Identification Restriction (COLR) supplementary

service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 3: Test Suite Structure and Test Purposes (TSS&TP) specification for the user

**EN 300 098-4**

Integrated Services Digital Network (ISDN). Connected Line Identification Restriction (COLR) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 4: Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the user

**EN 300 098-5**

Integrated Service Digital Network (ISDN). Connected Line Identification Restriction (COLR) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 5: Test Suite Structure and Test Purposes (TSS&TP) specification for the network

**EN 300 098-6**

Integrated Services Digital Network (ISDN). Connected Line Identification Restriction (COLR) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 6: Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the network

**ETS 300 099**

Integrated Services Digital Network (ISDN). Specification of the Packet Handler access point Interface (PHI)

**ETS 300 100**

Integrated Services Digital Network (ISDN). Routing in support of ISUP version 1 services

**ETS 300 102-1**

Integrated Services Digital Network (ISDN). User-network interface layer 3. Specifications for basic call control

**ETS 300 102-1/A1**

Integrated services digital network (ISDN). User-network interface layer 3. Specifications for basic call control

**ETS 300 102-1/A2**

Integrated services digital network (ISDN). User-network interface layer 3. Specifications for basic call control

**ETS 300 102-2**

Integrated services digital network (ISDN). User-network interface layer 3. Specifications for basic call control. Specification description language (SDL) diagrams

**ETS 300 108**

Integrated Services Digital Network (ISDN). Circuit-mode 64 kbit/s unrestricted 8 kHz structured bearer service category. Service description

**ETS 300 109**

Integrated Services Digital Network (ISDN). Circuit-mode 64 kbit/s unrestricted 8 kHz structured bearer service category usable for speech information transfer. Service description

**ETS 300 110**

Integrated Services Digital Network (ISDN). Circuit-mode 64 kbit/s unrestricted 8 kHz structured bearer service category usable for 3,1 kHz audio information transfer. Service description

**ETS 300 111**

Integrated Services Digital Network (ISDN). Telephony 3,1 kHz teleservice. Service description

**ETS 300 112**

Integrated Services Digital Network (ISDN). Facsimile group 4 class 1 equipment on the ISDN. End-to end protocols

**ETS 300 120**

Integrated services digital network (ISDN). Service requirements for telefax group 4

**ETS 300 121**

Integrated services digital network (ISDN). Application of the ISDN user part (ISUP) of CCITT signalling system No. 7 for international ISDN interconnections (ISUP version 1)

**ETS 300 125**

Integrated services digital network (ISDN). User- network interface data link layer specification. Application of

CCITT. Recommendations Q.920/I.440 and Q.921/I.441

**ETS 300 128**

Integrated services digital network (ISDN). Malicious call identification (MCID) supplementary service. Service description

**ETS 300 128/A1**

Integrated Services Digital Network (ISDN). Malicious Call Identification (MCID) supplementary service. Service description

**ETS 300 129**

Integrated services digital network (ISDN). Malicious call identification (MCID) supplementary service. Functional capabilities and information flows

**EN 300 130-1**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. MCID supplementary service. Part 1: Protocol specification

**EN 300 130-2**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. MCID PICS supplementary service. Part 2: PICS proforma specification

**EN 300 130-3**

Integrated Services Digital Network (ISDN). Malicious Call Identification (MCID) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 3: Test Suite Structure and test Purposes (TSS&TP) specification for the user

**EN 300 130-4**

Integrated Services Digital Network (ISDN). Malicious Call Identification (MCID) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. MCID PICS supplementary service. Part 4: Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the user

**EN 300 130-5**

Integrated Services Digital Network (ISDN). Malicious Call Identification (MCID) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. MCID PICS supplementary service. Part 5: Test Suite Structure and Test Purposes (TSS&TP) specification for the network

**EN 300 130-6**

Integrated Services Digital Network (ISDN). Malicious Call Identification (MCID) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. MCID PICS supplementary service. Part 6: Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the network

**ETS 300 134**

Integrated services digital network (ISDN). CCITT signalling system No. 7. Transaction capabilities application part (TCAP)

**ETS 300 136**

Integrated services digital network (ISDN). Closed user group (CUG) supplementary service. Service description

**ETS 300 137**

Integrated services digital network (ISDN). Closed user group (CUG) supplementary service. Functional capabilities and information flows

**EN 300 138-1**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. CUG supplementary service. Part 1: Protocol Specification

**EN 300 138-2**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. CUG PICS supplementary service. Part 2: PICS proforma specification

**EN 300 138-3**

Integrated Services Digital Network (ISDN). Closed user Group (CUG) supplementary service. Digital Subscriber

Signalling System No. one (DSS1) protocol. Part 3: Test Suite Structure and Test Purposes (TSS&TP) specification for the user

**EN 300 138-4**

Integrated Services Digital Network (ISDN). Closed User Group (CUG) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. CUG PICS supplementary service. Part 4: Abstract Test Suite (ATS) and partial Protocol Implementation

**EN 300 138-5**

Integrated Services Digital Network (ISDN). Closed User Group (CUG) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. CUG PICS supplementary service. Part 5: Test Suite Structure and Test Purposes (TSS&TP) specification

**EN 300 138-6**

Integrated Services Digital Network (ISDN). Closed User Group (CUG) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. CUG PICS supplementary service. Part 6: Abstract Test Suite (ATS) and partial Protocol Implementation

**ETS 300 139**

Integrated services digital network (ISDN). Call hold (HOLD) supplementary service. Service description

**ETS 300 140**

Integrated services digital network (ISDN). Call hold (HOLD) supplementary service. Functional capabilities and information flows

**ETS 300 142**

Integrated Services Digital Network (ISDN) and other digital telecommunications networks. Line transmission of non-telephone signals. Video codec for audiovisual services at p x 64 kbits

**ETS 300 143**

Integrated Services Digital Network (ISDN). Audiovisual services. Inband signalling procedures for audiovisual terminals using digital channels up to 2 048 kbit/s

**ETS 300 144**

Integrated Services Digital Network (ISDN). Audiovisual services. Frame structure for a 64 kbit/s to 1 920 kbit/s channel and associated syntax for inband signalling

**ETS 300 164**

Integrated services digital network (ISDN). Meet-me conference (MMC) supplementary service. Service description

**ETS 300 165**

Integrated services digital network (ISDN). Meet-me conference (MMC) supplementary service. Functional capabilities and information flows

**ETS 300 178**

Integrated services digital network (ISDN). Advice of charge. Charging information at call set-up time (AOC-S) supplementary service. Service description

**ETS 300 179**

Integrated services digital network (ISDN). Advice of charge. Charging information during the call (AOC-D) supplementary service. Service description

**ETS 300 180**

Integrated services digital network (ISDN). Advice of charge. Charging information at the end of the call (AOC-E) supplementary service. Service description

**ETS 300 181**

Integrated services digital network (ISDN). Advice of charge (AOC) supplementary service. Functional capabilities and information flows

**EN 300 182-1**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. AOC supplementary service. Part 1: Protocol specification

**EN 300 182-2**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. AOC PICS supplementary service. Part 2: PICS proforma specification

**EN 300 182-3**

Integrated Services Digital Network (ISDN). Advice of Charge (AOC) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 3: Test Suite Structure and test Purposes (TSS&TP) specification for the user

**EN 300 182-4**

Integrated Services Digital Network (ISDN). Advice of Charge (AOC) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 4: Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the user

**EN 300 182-5**

Integrated Services Digital Network (ISDN). Advice of Charge (AOC) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 5: Test Suite Structure and Test Purposes (TSS&TP) specification for the network

**EN 300 182-6**

Integrated Services Digital Network (ISDN). Advice of Charge (AOC) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 6: Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the network

**ETS 300 183**

Integrated services digital network (ISDN). Conference call, add-on (CONF) supplementary service. Service description

**ETS 300 183/A1**

Integrated Services Digital Network (ISDN). Conference Call, add-on (CONF) supplementary service. Service description

**ETS 300 184**

Integrated services digital network (ISDN). Conference call, add-on (CONF) supplementary service. Functional capabilities and information flows

**EN 300 185-1**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. CONF supplementary service. Part 1: Protocol specification

**EN 300 185-2**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. CONF PICS supplementary service. Part 2: PICS proforma specification

**EN 300 185-3**

Integrated Services Digital Network (ISDN). Conference call, add-on (CONF) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 3: Test Suite Structure and Test Purposes (TSS&TP) specification for the user

**EN 300 185-4**

Integrated Services Digital Network (ISDN). Conference call, add-on (CONF) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 4: Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the user

**EN 300 185-5**

Integrated Services Digital Network (ISDN). Conference call, add-on (CONF) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 5: Test Suite Structure and Test Purposes (TSS&TP) specification for the network

**EN 300 185-6**

Integrated Services Digital Network (ISDN). Conference call, add-on (CONF) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 6: Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the network

**ETS 300 186**

Integrated services digital network (ISDN). Three-party (3PTY) supplementary service. Service description

**ETS 300 187**

Integrated services digital network (ISDN). Three-party (3PTY) supplementary service. Functional capabilities and information flows

**EN 300 188-1**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. 3PTY supplementary service. Part 1: Protocol specification

**EN 300 188-2**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. 3PTY PICS supplementary service. Part 2: PICS proforma specification

**EN 300 188-3**

Integrated Services Digital Network (ISDN). Three-Party (3PTY) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 3: Test Suite Structure and Test Purposes (TSS&TP) specification for the user

**EN 300 188-4**

Integrated Services Digital Network (ISDN). Three-Party (3PTY) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol.

Part 4: Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the user

**EN 300 188-5**

Integrated Services Digital Network (ISDN). Three-Party (3PTY) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 5: Test Suite Structure and Test Purposes (TSS&TP) specification for the network

**EN 300 188-6**

Integrated Services Digital Network (ISDN). Three-Party (3PTY) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 6: Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the network

**ETS 300 196-2**

Integrated Services Digital Network (ISDN). Generic functional protocol for the support of supplementary services. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification

**ETS 300 199**

Integrated Services Digital Network (ISDN). Call Forwarding Busy (CFB) supplementary service. Service description

**ETS 300 200**

Integrated Services Digital Network (ISDN). Call Forwarding Unconditional (CFU) supplementary service. Service description

**ETS 300 201**

Integrated Services Digital Network (ISDN). Call Forwarding No Reply (CFNR) supplementary service. Service description

**ETS 300 201/A1**

Integrated services digital network (ISDN). Call forwarding no reply (CFNR) supplementary service. Service description

**ETS 300 202**

Integrated Services Digital Network (ISDN). Call Deflection (CD) supplementary service. Service description

**ETS 300 202/A1**

Integrated services digital network (ISDN). Call deflection (CD) supplementary service. Service description

**ETS 300 203**

Integrated Services Digital Network (ISDN). Call Forwarding Busy (CFB) supplementary service. Functional

capabilities and information flows

**ETS 300 204**

Integrated Services Digital Network (ISDN). Call Forwarding Unconditional (CFU) supplementary service. Functional capabilities and information flows

**ETS 300 205**

Integrated Services Digital Network (ISDN). Call Forwarding No Reply (CFNR) supplementary service. Functional capabilities and information flows

**ETS 300 206**

Integrated Services Digital Network (ISDN). Call Deflection (CD) supplementary service. Functional capabilities and information flows

**EN 300 207-1**

Integrated Services Digital Network (ISDN). Diversion supplementary services. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 1: Protocol specification

**EN 300 207-2**

Integrated Services Digital Network (ISDN). Diversion supplementary services. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification

**EN 300 207-3**

Integrated Services Digital Network (ISDN). Diversion supplementary services. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 3: Test Suite Structure and Test Purposes (TSS&TP) specification for the user

**EN 300 207-5**

Integrated Services Digital Network (ISDN). Diversion supplementary services. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 5: Test Suite Structure and Test Purposes (TSS&TP) specification for the network

**ETS 300 207-4**

Integrated Services Digital Network (ISDN). Diversion supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 4: Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the user

**ETS 300 207-6**

Integrated Services Digital Network (ISDN). Diversion supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 6: Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the network

**ETS 300 208**

Integrated Services Digital Network (ISDN). Freephone (FPH) supplementary service Service description

**EN 300 210-1**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. FPH supplementary service. Part 1: Protocol specification

**EN 300 210-2**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. FPH PICS supplementary service. Part 2: PICS proforma specification

**EN 300 210-3**

Integrated Services Digital Network (ISDN). Freephone (FPH) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 3: Test Suite Structure and Test Purposes (TSS&TP) specification for the user

**EN 300 210-4**

Integrated Services Digital Network (ISDN). Freephone (FPH) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 4: Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the user

**EN 300 210-5**

Integrated Services Digital Network (ISDN). Freephone (FPH) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 5: Test Suite Structure and Test Purposes (TSS&TP) specification for the network

**EN 300 210-6**

Integrated Services Digital Network (ISDN). Freephone (FPH) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 6: Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) ) proforma specification for the network

**ETS 300 218**

Integrated services digital network (ISDN). Syntax-based videotex lower layers protocols for ISDN packet mode (CCITT Recommendation X.31 case A and case B)

**ETS 300 233**

Integrated services digital networks (ISDN). Access digital section for ISDN primary rate

**ETS 300 233/A1**

Integrated services digital network (ISDN). Access digital section for ISDN primary rate

**ETS 300 251**

Network aspects (NA); Accessibility for 64 kbit/s circuit switched international end-to-end ISDN traffic relations

**ETS 300 262**

Integrated services digital network (ISDN); syntax-based videotex teleservice. Service description

**ETS 300 263**

Integrated services digital network (ISDN). Telephony 7 kHz teleservice. Service description

**ETS 300 263/A1**

Integrated Services Digital Network (ISDN). Telephony 7 kHz teleservice Service description

**ETS 300 264**

Integrated services digital network (ISDN). Videotelephony teleservice. Service description

**ETS 300 265**

Integrated services digital network (ISDN). Telephony 7 kHz teleservice. Functional capabilities and information flows

**ETS 300 266**

Integrated services digital network (ISDN). Videotelephony teleservice. Functional capabilities and information flows

**ETS 300 284**

Integrated Services Digital Network (ISDN). User-to-User Signalling (UUS) supplementary service Service description

**EN 300 286-1**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. UUS supplementary service. Part 1: Protocol specification

**EN 300 286-2**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. UUS PICS supplementary service. Part 2: PICS proforma specification

**EN 300 286-3**

Integrated Services Digital Network (ISDN). User-to-user (UUS) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 3: Test Suite Structure and Test Purposes (TSS&TP) specification for the user

**EN 300 286-4**

Integrated Services Digital Network (ISDN). User-to-User (UUS) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 4: Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the user

**EN 300 286-5**

Integrated Services Digital Network (ISDN). User-to-user (UUS) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 5: Test Suite Structure and Test Purposes (TSS&TP) specification for the network

**EN 300 286-6**

Integrated Services Digital Network (ISDN). User-to-User (UUS) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 6: Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the network

**ETS 300 287-1**

Integrated Services Digital Network (ISDN). Signalling System No. 7. Transaction Capabilities (TC) version 2: Part 1: Protocol specification

**ETS 300 287-2**

Integrated Services Digital Network (ISDN). Signalling System No. 7. Transaction Capabilities (TC) version 2; Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification

**ETS 300 297**

Integrated Services Digital Network (ISDN). Access digital section for ISDN basic access

**ETS 300 297/A1**

Integrated Services Digital Network (ISDN). Access digital section for ISDN basic rate

**ETS 300 298-1**

Broadband Integrated Services Digital Network (B-ISDN). Asynchronous Transfer Mode (ATM). B-ISDN asynchronous transfer mode functional characteristics

**ETS 300 298-2**

Broadband Integrated Services Digital Network (B-ISDN). Asynchronous Transfer Mode (ATM). B-ISDN ATM layer specification

**ETS 300 298-3**

Broadband Integrated Services Digital Network (B-ISDN). Asynchronous Transfer Mode (ATM). Basic characteristics and functional specification of ATM. Part 3: Protocol Implementation Conformance Statement (PISC) proforma

**ETS 300 300**

Broadband Integrated Services Digital Network (B-ISDN). Synchronous Digital Hierarchy (SDH) based user network access. Physical layer User Network Interfaces (UNI) for 155 520 kbit/s and 622 080 kbit/s Asynchronous Transfer Mode (ATM) B-ISDN applications

**ETS 300 301**

Broadband Integrated Services Digital Network (B-ISDN). Traffic control and congestion control in B-ISDN

**ETS 300 303**

Integrated services digital network (ISDN). Global system for mobile communications (GSM) public land mobile network (PLMN) signalling interface

**ETS 300 325**

Integrated services digital network (ISDN). Programming communication interface (PCI) for Euro-ISDN

**ETS 300 334**

Integrated Services Digital Network (ISDN). Signalling System No. 7. Routing in support of ISDN User Part (ISUP) version 2 services

**ETS 300 343**

Integrated services digital network (ISDN). Signalling interworking specification for ISDN user part (ISUP) version 1

**ETS 300 345**

Integrated Services Digital Network (ISDN). Interworking between public ISDNs and private ISDNs for the provision of telecommunication services. General aspects

**ETS 300 349**

Broadband Integrated Services Digital Network (B-ISDN). Asynchronous Transfer Mode (ATM) Adaptation Layer (AAL) specification. type 3/4

**ETS 300 350**

Integrate Services Digital Network (ISDN). Basic call control procedures for circuit-switched bearer services. Functional capabilities and information flows

**ETS 300 354**

Broadband Integrated Services Digital Network (B-ISDN). B-ISDN Protocol Reference Model (PRM)

**ETS 300 356-31**

Integrated Services Digital Network (ISDN). Signalling System no 7. ISDN User Part (ISUP) version 2 for the international interface. Part 31: Protocol Implementation Conformance Statement (PICS) proforma specification for basic services

**ETS 300 356-34**

Integrated Services Digital Network (ISDN). Signalling System No.7. ISDN User Part (ISUP) version 2 for the international interface. Part 34: Protocol Implementation Conformance Statement (PICS) proforma specification for supplementary services

**ETS 300 357**

Integrated Services Digital Network (ISDN). Completion of Calls to Busy Subscriber (CCBS) supplementary service. Service description

**ETS 300 358**

Integrated Services Digital Network (ISDN). Completion of Calls to Busy Subscriber (CCBS) supplementary service. Functional capabilities and information flows

**EN 300 359-1**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. CCBS supplementary service. Part 1: Protocol specification

**EN 300 359-2**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. CCBS PICS supplementary service. Part 2: PICS proforma specification

**EN 300 359-3**

Integrated Services Digital Network (ISDN). Completion of Calls to Busy Subscriber (CCBS) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 3: Test Suite Structure and Test Purposes (TSS&TP) specification for the user

**EN 300 359-4**

Integrated Services Digital Network (ISDN). Completion of Calls to Busy Subscriber (CCBS) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 4: Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the user

**EN 300 359-5**

Integrated Services Digital Network (ISDN). Completion of Calls to Busy Subscriber (CCBS) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 5: Test Suite Structure and Test Purposes (TSS&TP) specification for the network

**EN 300 359-6**

Integrated Services Digital network (ISDN). Completion of Calls to Busy Subscriber (CCBS) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 6: Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the network

**ETS 300 360**

Integrated Services Digital Network (ISDN). Signalling System No. 7. Signalling interworking specification for ISDN User Part (ISUP) version 2

**EN 300 367**

Integrated Services Digital Network (ISDN). Explicit Call Transfer (ECT) supplementary service. Service description

**EN 300 368**

Integrated Services Digital Network (ISDN). Explicit Call Transfer (ECT) supplementary service. Functional capabilities and information flows

**EN 300 369-1**

Integrated Services Digital Network (ISDN). Explicit Call Transfer (ECT) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 1: Protocol specification

**EN 300 369-2**

Integrated Services Digital Network (ISDN). Explicit Call Transfer (ECT) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification

**EN 300 369-3**

Integrated Services Digital Network (ISDN). Explicit Call Transfer (ECT) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 3: Test Suite Structure and Test Purposes (TSS&TP) specification for the user

**EN 300 369-4**

Integrated Services Digital Network (ISDN). Explicit Call Transfer (ECT) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 4: Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the user

**EN 300 369-5**

Integrated Services Digital Network (ISDN). Explicit Call Transfer (ECT) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 5: Test Suite Structure and Test Purposes (TSS&TP) specification for the network

**ETS 300 369-6**

Integrated Services Digital Network (ISDN). Explicit Call Transfer (ECT) supplementary service. Digital Subscriber Signalling System No. one (DSS1) protocol. Part 6: Abstract Test Suite (ATS) and Partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the network

**ETS 300 383**

Integrated Services Digital Network (ISDN). File transfer over the ISDN. EUROFILE transfer profile

**ETS 300 388**

Integrated Services Digital Network (ISDN). File Transfer Access & Management (FTAM) over ISDN based on simple file transfer profile

**ETS 300 389**

Integrated Services Digital Network (ISDN). Circuit-mode multiple-rate unrestricted 8 kHz structured bearer service category. Service description

**ETS 300 399-2**

Frame relay services. Part 2: Integrated Services Digital Network (ISDN) Frame relay bearer service. Service definition

**ETS 300 399-4**

Frame relay services. Part 4: Broadband Integrated Services Digital Network (B-ISDN). Frame relay bearer service. Service definition

**ETS 300 402-1**

Integrated Services Digital Network (ISDN). Digital subscriber signalling system no. one (DSS1). User-network interface data link layer. Part 1: General aspects

**ETS 300 402-2**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1). User-network interface data link layer. Part 2: General application protocol specification

**ETS 300 402-3**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. Data link layer. Part 3: Frame relay protocol specification

**ETS 300 402-5**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. Data link layer. Part 5: Protocol Implementation Conformance Statement (PICS) proforma specification for the frame relay protocol

**EN 300 403-1**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. Signalling network layer for circuit-mode basic call control. Part 1: Protocol specification

**ETS 300 403-2**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) User-network interface layer 3 specification for basic call control. Part 2: Specification and Description Language (SDL) diagrams

**EN 300 403-3**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. Signalling network layer for circuit-mode basic call control. Part 3: Protocol Implementation Conformance Statement (PICS) proforma specification

**ETS 300 403-4**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. Signalling network layer for circuit-mode basic call control. Part 4: Test Suite Structure and Test Purposes (TSS & TP) specification for the user

**ETS 300 403-5**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. Signalling network layer for circuit-mode basic call control. Part 5: Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the user

**ETS 300 403-6**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. Signalling network layer for circuit-mode basic call control. Part 6: Test Suite Structure and Test Purposes (TSS & TP) specification for the network

**ETS 300 403-7**

Integrated Services Digital Network (ISDN). Digital Subscriber Signalling System No. one (DSS1) protocol. Signalling network layer for circuit-mode basic call control. Part 7: Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the network

**ETS 300 404**

Broadband Integrated Services Digital Network (B-ISDN). B-ISDN Operation And Maintenance (OAM) principles and functions

**ETS 300 409**

Integrate Services Digital Network (ISDN). Eurofile transfer teleservice; Service description

**ETS 300 410**

Integrated Services Digital Network (ISDN). File Transfer & Access Management (FTAM) teleservice; Service description

**ETS 300 428**

Broadband Integrated Services Digital Network (B-ISDN). Asynchronous Transfer Mode (ATM). Adaptation Layer (AAL) specification. type 5

**ETS 300 434-1**

Radio Equipment and Systems (RES). Digital European Cordless Telecommunications (DECT) and Integrated Services Digital Network (ISDN) inter-working for end system configuration. Part 1: Inter-working specification

**ETS 300 434-2**

Radio Equipment and Systems (RES). Digital European Cordless Telecommunications (DECT) and Integrated Services Digital Network (ISDN) interworking for end system configuration. Part 2: Access profile

**ETS 300 436-1**

Broadband integrated services digital network (B-ISDN). Signalling ATM adaptation layer (SAAL). Service specific connection oriented protocol (SSCOP). Part 1: Protocol specification

**ETS 300 436-2**

Broadband Integrated Services Digital Network (B-ISDN). Signalling ATM Adaptation Layer (SAAL). Service Specific Connection Oriented Protocol (SSCOP). Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification

**ETS 300 437-1**

Broadband integrated services digital network (B-ISDN). Signalling ATM adaptation layer (SAAL). Service specific co-ordination function (SSCF) for support of signalling at the user-network interface (UNI). Part 1: Specification of SSCF at UNI

**ETS 300 437-2**

Broadband Integrated Services Digital Network (B-ISDN). Signalling ATM Adaptation Layer (SAAL). Service Specific Co-ordination Function (SSCF) for support of signalling at the User-Network Interface (UNI). Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification

**ETS 300 438-1**

Broadband integrated services digital network (B-ISDN). Signalling ATM adaptation layer (SAAL). Service specific co-ordination function (SSCF) for support of signalling at the network node interface (NNI). Part 1: Specification of SSCF at NNI

**ETS 300 438-2**

Broadband Integrated Services Digital Network (B-ISDN). Signalling ATM Adaptation Layer (SAAL). Service Specific Co-ordination Function (SSCF) for support of signalling at the network Node Interface (NNI). Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification

**ETS 300 455-1**

Broadband Integrated Services Digital Network (B-ISDN). Broadband Virtual Path Service (BVPS). Part 1: BVPS for Permanent communications (BVPS-P)

**ETS 300 455-2**

Broadband Integrated Services Digital Network (B-ISDN). Broadband Virtual Path Service (BVPS). Part 2: BVPS for Reserved communications (BVPS-R)

**ETS 300 458**

Integrated Services Digital Network (ISDN). Specification of the Remote Frame Handler Interface (RFHI)

**ETS 300 467**

Broadband Integrated Services Digital Network (B-ISDN). Support of Frame Relay Bearer Service (FRBS) in B-ISDN and frame relay interworking between B-ISDN and other networks

**ETS 300 469**

Broadband Integrated Services Digital Network (B-ISDN). Asynchronous Transfer Mode (ATM). Management of the network element view

**ETS 300 486-1**

Broadband Integrated Services Digital Network (B-ISDN). Meta-signalling protocol. Part 1: Protocol specification

**ETS 300 495**

Broadband integrated services digital network (B-ISDN). Signalling system no.7. Interworking between broadband ISDN user part (B-ISUP) and digital subscriber signalling system no. two (DSS2)

**ETS 300 496**

Broadband integrated services digital network (B-ISDN). Signalling system no.7. Interworking between broadband ISDN user part (B-ISUP) and narrowband ISDN user part (ISUP)

**ETS 300 600**

European digital cellular telecommunications system (Phase 2). Signalling requirements on interworking between the Integrated Services Digital Network (ISDN) or Public Switched Telephone Network (PSTN) and the Public Land Mobile Network (PLMN) (GSM 09.03)

**ETS 300 603**

European digital cellular telecommunications system (Phase 2). Interworking between a Public Land Mobile Network (PLMN) and a Packet Switched Public Data Network /Integrated Services Digital Network (PSPDN/ISDN) for the support of packet switched data transmission services (GSM 09.06)

**ETS 300 603/A1**

European digital cellular telecommunications system (Phase 2). Interworking between a Public Land Mobile Network (PLMN) and a Packet Switched Public Data Network/Integrated Services Digital Network (PSPDN/ISDN) for the support of packet switched data transmission services (GSM 09.06)

**ETS 300 604**

Digital cellular telecommunications system (Phase 2). General requirements on inter-working between the Public Land Mobile Network (PLMN) and the Integrated Services Digital Network (ISDN) or Public Switched Telephone Network (PSTN) (GSM 09.07 version 4.

**ETS 300 643**

Integrated Services Digital Network (ISDN). Overall network aspects and functions. Frame Relaying Service Specific Convergence Sublayer (FR-SSCS)

**ETS 300 646-2**

Integrated Services Digital Network (ISDN). Signalling system no.7. Digital cellular telecommunications (Phase 2). Application of ISDN user part (ISUP) version 2 for the ISDN-Public Land Mobile Network (PLMN) signalling interface.

**ETS 300 646-4**

Integrated Services Digital Network (ISDN). Signalling system no.7. Digital cellular telecommunications (Phase 2). Application of ISDN User Part (ISUP) version 2 for the ISDN-Public Land Mobile Network (PLMN) signalling interface.

**ETS 300 650**

Integrated Services Digital Network (ISDN). Message Waiting Indication (MWI) supplementary service. Service description

**ETS 300 656**

Broadband integrated services digital network (B-ISDN). Signalling System No.7. B-ISDN User part (B-ISUP) capability set 1 (CS 1). Basic services

**ETS 300 657**

Broadband integrated services digital network (B-ISDN). Signalling System No.7. B-ISDN User part (B-ISUP) capability set 1 (CS 1). Supplementary services

**ETS 300 660**

Integrated Services Digital Network (ISDN). Synchronisation and Co-ordination Function (SCF) for the provision of the OSI Connection-mode Network Service (OSI CONS) in an ISDN environment. Specification of SCF

**ETS 300 661-1**

Broadband Integrated Services Digital Network (B-ISDN). Digital Subscriber Signalling System No. two (DSS2) protocol. Direct Dialling In (DDI) supplementary service. Part 1: Protocol specification

**ETS 300 661-2**

Broadband Integrated Services Digital Network (B-ISDN). Digital Subscriber Signalling System No. two (DSS2) protocol. Direct Dialling In (DDI) supplementary service. Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification

**ETS 300 662-1**

Broadband Integrated Services Digital Network (B-ISDN). Digital Subscriber Signalling System No. two (DSS2) protocol. Multiple Subscriber Number (MSN) supplementary service. Part 1: Protocol specification

**ETS 300 662-2**

Broadband Integrated Services Digital Network (B-ISDN). Digital Subscriber Signalling System No. two (DSS2) protocol. Multiple Subscriber Number (MSN) supplementary service. Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification

**ETS 300 663-1**

Broadband Integrated Services Digital Network (B-ISDN). Digital Subscriber Signalling System No. two (DSS2) protocol. Calling Line Identification Presentation (CLIP) supplementary service. Part 1: Protocol specification

**ETS 300 663-2**

Broadband Integrated Services Digital Network (B-ISDN). Digital Subscriber Signalling System No. two (DSS2) protocol. Calling Line Identification Presentation (CLIP) supplementary service. Part 2: Protocol Implementation

Conformance Statement (PICS) proforma specification

**ETS 300 664-1**

Broadband Integrated Services Digital Network (B-ISDN). Digital Subscriber Signalling System No. two (DSS2) protocol. Calling Line Identification Restriction (CLIR) supplementary service. Part 1: Protocol specification

**ETS 300 664-2**

Broadband Integrated Services Digital Network (B-ISDN). Digital Subscriber Signalling System No. two (DSS2) protocol. Calling Line Identification Restriction (CLIR) supplementary service. Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification

**ETS 300 665-1**

Broadband Integrated Services Digital Network (B-ISDN). Digital Subscriber Signalling System No. two (DSS2) protocol. Connected Line Identification Presentation (COLP) supplementary service. Part 1: Protocol specification

**ETS 300 665-2**

Broadband Integrated Services Digital Network (B-ISDN). Digital Subscriber Signalling System No. two (DSS2) protocol. Connected Line Identification Presentation (COLP) supplementary service. Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification

**ETS 300 666-1**

Broadband Integrated Services Digital Network (B-ISDN). Digital Subscriber Signalling System No. two (DSS2) protocol. Connected Line Identification Restriction (COLR) supplementary service. Part 1: Protocol specification

**ETS 300 666-2**

Broadband Integrated Services Digital Network (B-ISDN). Digital Subscriber Signalling System No. two (DSS2) protocol. Connected Line Identification Restriction (COLR) supplementary service. Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification

**ETS 300 667-1**

Broadband Integrated Services Digital Network (B-ISDN). Digital Subscriber Signalling System No. two (DSS2) protocol. Subaddressing (SUB) supplementary service. Part 1: Protocol specification

**ETS 300 667-2**

Broadband Integrated Services Digital Network (B-ISDN). Digital Subscriber Signalling System No. two (DSS2) protocol. Subaddressing (SUB) supplementary service. Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification

**ETS 300 668-1**

Broadband Integrated Services Digital Network (B-ISDN). Digital Subscriber Signalling System No. two (DSS2) protocol. User-to-User Signalling (UUS) supplementary service. Part 1: Protocol specification

**ETS 300 668-2**

Broadband Integrated Services Digital Network (B-ISDN). Digital Subscriber Signalling System No. two (DSS2) protocol. User-to-User Signalling (UUS) supplementary service. Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification

**ETS 300 669-1**

Broadband Integrated Services Digital Network (B-ISDN). Digital Subscriber Signalling System No. two (DSS2) protocol. Supplementary service interactions. Part 1: Protocol specification

**ETS 300 669-2**

Broadband Integrated Services Digital Network (B-ISDN). Digital Subscriber Signalling System No. two (DSS2) protocol. Supplementary service interactions. Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification

**ETS 300 675**

Integrated Services Digital Network (ISDN). Audiographic conference teleservice. Service description

**ETS 300 678**

Integrated Services Digital Network (ISDN). Videoconference teleservice. Service description

**ETS 300 685**

Broadband integrated services digital network (B-ISDN). Usage of cause and location in digital subscriber signalling system no. two (DSS2) and signalling system no.7 B-ISDN user part (B-ISUP)

**ETS 300 710**

Integrated Services Digital Network (ISDN). Public Switched Telephone Network (PSTN). Universal Access Number (UAN) service. Service description

**ETS 300 711**

Integrated Services Digital Network (ISDN). Public Switched Telephone Network (PSTN). Virtual Card Calling (VCC). Service description

**ETS 300 712**

Integrated Services Digital Network (ISDN). Public Switched Telephone Network (PSTN). Premium Rate (PRM) service. Service description

**ETS 300 713**

Integrated Services Digital Network (ISDN). Public Switched Telephone Network (PSTN). Televoting (VOT) service. Service description

**ETS 300 754-1**

Integrated Services Digital Network (ISDN). Signalling System No.7. Transaction Capabilities (TC).Application Service Element (ASE) for Message Waiting Indication (MWI) supplementary service. Part 1: Protocol specification

**ETS 300 770-1**

Broadband Integrated Services Digital Network (B-ISDN). Digital Subscriber Signalling System No. two (DSS2) protocol. Closed User Group (CUG) supplementary service. Part 1: Protocol specification

**ETS 300 770-2**

Broadband Integrated Services Digital Network (B-ISDN). Digital Subscriber Signalling System No. two (DSS2) protocol. Closed User Group (CUG) supplementary service. Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification

**ETS 300 771-1**

Broadband Integrated Services Digital Network (B-ISDN). Digital Subscriber Signalling System No. two (DSS2) protocol. B-ISDN user-network interface layer 3 specification for point-to-multipoint call/bearer control. Part 2: Protocol specification

**ETS 300 780**

Broadband Integrated Services Digital Network (B-ISDN). Broadband Connection-Oriented Bearer Service (BCOBCS)

**ETS 300 787**

Digital Enhanced Cordless Telecommunications (DECT). Global System for Mobile communications (GSM). Integrated Services Digital Network (ISDN). DECT access to GSM via ISDN. General description of service requirements

**ETS 300 788**

Digital Enhanced Cordless Telecommunications (DECT). Global System for Mobile communications (GSM). Integrated Services Digital Network (ISDN). DECT access to GSM via ISDN. Functional capabilities and information flows

**ETS 300 796-1**

Broadband Integrated Services Digital Network (B-ISDN). Digital Subscriber Signalling System No. two (DSS2) protocol. Generic functional protocol. Core aspects. Part 1: Protocol specification

**ETS 300 796-2**

Broadband Integrated Services Digital Network (B-ISDN). Digital Subscriber Signalling System No. two (DSS2) protocol. Generic functional protocol. Core aspects. Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification

**ETS 300 801**

Digital Video Broadcasting (DVB). Interaction channel through Public Switched Telecommunications Network (PSTN)/ Integrated Services Digital Networks (ISDN)

**ETS 300 818**

Broadband Integrated Services Digital Network (B-ISDN). Asynchronous Transfer Mode (ATM). Retainability performance for B-ISDN switched connections

**ETS 300 821**

Broadband Integrated Services Digital Network (B-ISDN). Asynchronous Transfer Mode (ATM). Support of the High Level Data Link Control (HDLC) core service by AAL type 5

**ETS 300 823**

Universal Personal Telecommunication (UPT). UPT phase 2: Functional specification of the interface of a UPT Integrated Circuit Card (ICC) and Public Switched Telephone Network (PSTN), Integrated Services Digital Network (ISDN) and Global System for Mobile communications (GSM) terminals (one pass and multiple pass authentication)

**ETS 300 838**

Integrated Services Digital Network (ISDN). Harmonised Programmable Communication Interface (HPCI) for ISDN

**ETS 300 842**

Broadband Integrated Services Digital Network (B-ISDN). ATM adaptation layer specification. Service Specific Co-ordination Function (SSCF). Connection-Oriented Network Service (CONS) [ITU-T recommendation .365.2 (1995)]

**ETS 300 975**

Digital cellular telecommunications system (Phase 2+). Interworking between a Public Land Mobile Network (PLMN) and a Packet Switched Public Data Network/Integrated Services Digital Network (PSPDN/ISDN) for the support of packet switched data transmission

**ETS 300 976**

Digital cellular telecommunications system (Phase 2+). General requirements on interworking between the Public Land Mobile Network (PLMN) and the Integrated Services Digital Network (ISDN) or Public Switched Telephone Network (PSTN) (GSM 09.07 version 5).

**I-ETS 300 353**

Broadband Integrated Services Digital Network (B-ISDN). Asynchronous Transfer Mode (ATM) Adaptation Layer (AAL) specification. Type 1

**I-ETS 300 464**

Asynchronous Transfer Mode (ATM). Broadband Integrated Services Digital Network (B-ISDN). ATM layer cell transfer performance for B-ISDN connection types

**I-ETS 300 465**

Broadband Integrated Services Digital Network (B-ISDN). Availability and retainability performance for B-ISDN semi-permanent connections

**I-ETS 300 811**

Transmission and Multiplexing (TM). Broadband Integrated Services Digital Network (B-ISDN). Transmission Convergence (TC) and Physical Media Dependent (PMD) sublayers for the SB reference point at a bit-rate of 25,6 Mbit/s over twisted pair cable

**EN 301 164**

Transmission and Multiplexing (TM). Synchronous Digital Hierarchy (SDH). SDH leased lines. Connection characteristics

**EN 301 165**

Transmission and Multiplexing (TM). Synchronous Digital Hierarchy (SDH). SDH leased lines. Network and terminal interface presentation

**ETS 300 418**

Business TeleCommunications (BTC). 2048 kbit/s digital unstructured and structured leased lines (D2048U and D2048S). Network interface presentation

**ETS 300 686**

Business TeleCommunications (BTC). 34 Mbit/s and 140 Mbit/s digital leased lines (D34U, D34S, D14OU, D14OS). Network interface presentation

**ETS 300 687**

Business TeleCommunications (BTC). 34 Mbit/s digital leased lines (D34U and D34S). Connection characteristics

**ETS 300 688**

Business Telecommunications (BTC). 34 Mbit/s digital leased lines (D140U and D140S). Connection characteristics

**ETS 300 712**

Integrated Services Digital Network (ISDN). Public Switched Telephone Network (PSTN). Premium Rate (PRM) service. Service description

**ETS 300 766**

Business Telecommunications (BTC). Multiple 64 kbit/s digital unrestricted leased lines with octet integrity presented at a structured 2 048 kbit/s interface at either or both ends (D64M). Connection characteristics and network interface presentation

**3. GSM****EN 300 703**

Digital Enhanced Cordless Telecommunications (DECT). Global System for Mobile communications (GSM). DECT/GSM Interworking Profile (IWP). GSM Phase 2 supplementary services implementation

**EN 300 723**

Digital cellular telecommunications system (Phase 2+). Enhanced Full Rate (EFR) speech processing functions. General description (GSM 06.51 version 6.0.1)

**EN 300 724**

Digital cellular telecommunications system (Phase 2+). ANSI-C code for the GSM Enhanced Full Rate (EFR) speech codec (GSM 06.53 version 6.0.1)

**EN 300 725**

Digital cellular telecommunications system (Phase 2+). Test sequences for the GSM Enhanced Full Rate (EFR) speech codec (GSM 06.54 version 6.0.1 Release 1997)

**EN 300 727**

Digital cellular telecommunications system (Phase 2+). Substitution and muting of lost frames for Enhanced Full Rate (EFR) speech traffic channels (GSM 06.61 version 6.0.1)

**EN 300 728**

Digital cellular telecommunications system (Phase 2+). Comfort noise aspects for Enhanced Full Rate (EFR) speech traffic channels (GSM 06.62 version 6.0.1)

**EN 300 729**

Digital cellular telecommunications system (Phase 2+). Discontinuous Transmission (DTX) for Enhanced Full Rate (EFR) speech traffic channels (GSM 06.81 version 6.0.7)

**EN 300 730**

Digital cellular telecommunications system (Phase 2+). Voice Activity Detector (VAD) for Enhanced Full Rate (EFR) speech traffic channels (GSM 06.82 version 6.0.1)

**EN 300 737**

Digital cellular telecommunications system (Phase 2+). In-band control of remote transcoders and full rate traffic channels (GSM 08.60 version 6.0.1 Release 1997)

**EN 300 903**

Digital cellular telecommunications system (Phase 2+). Transmission planning aspects of the speech service in the GSM Public Land Mobile Network (PLMN) system (GSM 03.50 version 6.1.1)

**EN 300 904**

Digital cellular telecommunications system (Phase 2+). Bearer Services (BS) supported by a GSM Public Land Mobile Network (PLMN) (GSM 02.02 version 6.1.1 Release 1997)

**EN 300 908**

Digital cellular telecommunications system (Phase 2+). Multiplexing and multiple access on the radio path (GSM 05.02 version 6.4.1 Release 1997)

**EN 300 909**

Digital cellular telecommunications system (Phase 2+). Channel coding (GSM 05.03 version 6.2.1 Release 1997)

**EN 300 910**

Digital cellular telecommunications system (Phase 2+). Radio transmission and reception (GSM 05.05 version 6.4.1 Release 1997)

**EN 300 911**

Digital cellular telecommunications system (Phase 2+). Radio subsystem link control (GSM 05.08 version 6.4.1 Release 1997)

**EN 300 912**

Digital cellular telecommunications system (Phase 2+). Radio subsystem synchronization (GSM 05.10 version 6.4.1 Release 1997)

**EN 300 920**

Digital cellular telecommunications system (Phase 2+). Security aspects (GSM 02.09 version 6.0.1)

**EN 300 923**

Digital cellular telecommunications system (Phase 2+). Description of Charge Advice Information (CAI) (GSM 02.24 version 6.0.1)

**EN 300 924**

Digital cellular telecommunications system (Phase 2+). Enhanced Multi-Level Precedence and Pre-emption service (eMLPP). Stage 1 (GSM 02.67 version 6.0.1 Release 1997)

**EN 300 925**

Digital cellular telecommunications system (Phase 2+). Voice Group Call Service (VGCS). Stage 1 (GSM 02.68 version 6.0.1 Release 1997)

**EN 300 926**

Digital cellular telecommunications system (Phase 2+). Voice Broadcast Service (VBS). Stage 1 (GSM 02.69 version 6.0.1 Release 1997)

**EN 300 928**

Digital cellular telecommunications system (Phase 2+). Technical realization of Supplementary Services (GSM 03.11 version 6.0.1 Release 1997)

**EN 300 931**

Digital cellular telecommunications system (Phase 2+). Technical realization of facsimile group 3 transparent (GSM 03.45 version 6.0.1 Release 1997)

**EN 300 935**

Digital cellular telecommunications system (Phase 2+). Advice of Charge (AoC) supplementary services. Stage 2 (GSM 03.86 version 6.0.1)

**EN 300 937**

Digital cellular telecommunications system (Phase 2+). Data Link (DL) layer. General aspects (GSM 04.05 version 6.0.1 Release 1997)

**EN 300 938**

Digital cellular telecommunications system (Phase 2+). Mobile Station-Base Station System (MS-BSS) interface. Data Link (DL) layer specification (GSM 04.06 version 6.0.1 Release 1997)

**EN 300 940**

Digital cellular telecommunications system (Phase 2+). Mobile radio interface. Layer 3 specification (GSM 04.08 version 6.3.1 Release 1997)

**EN 300 943**

Digital cellular telecommunications system (Phase 2+). Short Message Service Cell Broadcast (SMSCB) support on the mobile radio interface (GSM 04.12 version 6.0.1 Release 1997)

**EN 300 944**

Digital cellular telecommunications system (Phase 2+). Performance requirements on the mobile radio interface (GSM 04.13 version 6.0.1)

**EN 300 945**

Digital cellular telecommunications system (Phase 2+). Rate adaptation on the Mobile Station-Base Station System (MS-BSS) Interface (GSM 04.21 version 6.0.1 Release 1997)

**EN 300 947**

Digital cellular telecommunications system (Phase 2+). Enhanced Multi-Level Precedence and Pre-emption service (eMLPP). Stage 3 (GSM 04.67 version 6.0.1 Release 1997)

**EN 300 949**

Digital cellular telecommunications system (Phase 2+). Broadcast Call Control (BCC) protocol (GSM 04.69 version 6.0.1 Release 1997)

**EN 300 951**

Digital cellular telecommunications system (Phase 2+). Line identification supplementary services. Stage 3 (GSM 04.81 version 6.0.1 Release 1997)

**EN 300 952**

Digital cellular telecommunications system (Phase 2+). Call Forwarding (CF) supplementary services. Stage 3 (GSM 04.82 version 6.0.1 Release 1997)

**EN 300 953**

Digital cellular telecommunications system (Phase 2+). Call Waiting (CW) and Call Hold (HOLD) supplementary services. Stage 3 (GSM 04.83 version 6.0.1 Release 1997)

**EN 300 954**

Digital cellular telecommunications system (Phase 2+). Multi Party (MPTY) supplementary services. Stage 3 (GSM 04.84 version 6.0.1 Release 1997)

**EN 300 955**

Digital cellular telecommunications system (Phase 2+). Advice of Charge (AoC) supplementary services. Stage 3 (GSM 04.86 version 6.0.1 Release 1997)

**EN 300 957**

Digital cellular telecommunications system (Phase 2+). Unstructured Supplementary Service Data (USSD). Stage 3 (GSM 04.90 version 6.0.1 Release 1997)

**EN 300 958**

Digital cellular telecommunications system (Phase 2+). Explicit Call Transfer (ECT) supplementary service. Stage 3 (GSM 04.91 version 6.0.1 Release 1997)

**EN 300 959**

Digital cellular telecommunications system (Phase 2+). Modulation (GSM 05.04 version 6.0.0)

**EN 300 960**

Digital cellular telecommunications system (Phase 2+). Full rate speech. Processing functions (GSM 06.01 version 6.0.1)

**EN 300 961**

Digital cellular telecommunications system (Phase 2+). Full rate speech. Transcoding (GSM 06.10 version 6.0.1)

**EN 300 962**

Digital cellular telecommunications system (Phase 2+). Full rate speech. Substitution and muting of lost frames for full rate speech channels (GSM 06.11 version 6.0.1)

**EN 300 963**

Digital cellular telecommunications system (Phase 2+). Full rate speech. Comfort noise aspect for full rate speech traffic channels (GSM 06.12 version 6.0.1)

**EN 300 964**

Digital cellular telecommunications system (Phase 2+). Full rate speech. Discontinuous Transmission (DTX) for full rate speech traffic channels (GSM 06.31 version 6.0.1)

**EN 300 965**

Digital cellular telecommunications system (Phase 2+). Full rate speech. Voice Activity Detector (VAD) for full

rate speech traffic channels (GSM 06.32 version 6.0.1)

**EN 300 966**

Digital cellular telecommunications system (Phase 2+). Half rate speech. Half rate speech processing functions (GSM 06.02 version 6.0.1)

**EN 300 967**

Digital cellular telecommunications system (Phase 2+). Half rate speech. ANSI-C code for the GSM half rate speech codec (GSM 06.06 version 6.0.1)

**EN 300 968**

Digital cellular telecommunications system (Phase 2+). Half rate speech. Test sequences for the GSM half rate speech codec (GSM 06.07 version 6.0.1)

**EN 300 969**

Digital cellular telecommunications system (Phase 2+). Half rate speech. Half rate speech transcoding (GSM 06.20 version 6.0.1)

**EN 300 970**

Digital cellular telecommunications system (Phase 2+). Half rate speech. Substitution and muting of lost frames for half rate speech traffic channels (GSM 06.21 version 6.0.1)

**EN 300 971**

Digital cellular telecommunications system (Phase 2+). Half rate speech. Comfort noise aspects for the half rate speech traffic channels (GSM 06.22 version 6.0.1)

**EN 300 972**

Digital cellular telecommunications system (Phase 2+). Half rate speech. Discontinuous Transmission (DTX) for half rate speech traffic channels (GSM 06.41 version 6.0.1)

**EN 300 973**

Digital cellular telecommunications system (Phase 2+). Half rate speech. Voice Activity Detector (VAD) for half rate speech traffic channels (GSM 06.42 version 6.0.1)

**EN 300 979**

Digital cellular telecommunications system (Phase 2+). In-band control of remote transcoders and rate adaptors for half rate traffic channels (GSM 08.61 version 6.0.1 Release 1997)

**EN 301 087**

Digital cellular telecommunications system (Phase 2 & Phase 2+). Base Station System (BSS) equipment specification. Radio aspects (GSM 11.21 version 7.1.1 Release 1998)

**EN 301 113**

Digital cellular telecommunications system (Phase 2+). General Packed Radio Service (GPRS) requirements. Service description Stage 1 (GSM 02.60 version 6.2.1 Release 1997)

**EN 301 195**

Digital Video Broadcasting (DVB). Interaction channel through the Global System for Mobile communications (GSM)

**EN 301 242**

Digital Enhanced Cordless Telecommunications (DECT). Global System for Mobile communications (GSM). DECT/GSM integration based on dual-mode terminals

**EN 301 243**

Digital cellular telecommunications system (Phase 2). Enhanced Full Rate (EFR) speech processing functions. General description (GSM 06.51 version 4.0.1)

**EN 301 244**

Digital cellular telecommunications system (Phase 2). ANSI-C code for the GSM Enhanced Full Rate (EFR) speech codec (GSM 06.53 version 4.0.1)

**EN 301 245**

Digital cellular telecommunications system (Phase 2). Enhanced Full Rate (EFR) speech transcoding (GSM 06.60 version 4.0.1)

**EN 301 246**

Digital cellular telecommunications system (Phase 2). Substitution and muting of lost frames for Enhanced Full Rate (EFR) speech traffic channels (GSM 06.61 version 4.0.1)

**EN 301 247**

Digital cellular telecommunications system (Phase 2). Comfort noise aspects for Enhanced Full Rate (EFR) speech traffic channels (GSM 06.62 version 4.0.1)

**EN 301 248**

Digital cellular telecommunications system (Phase 2). Discontinuous Transmission (DTX) for Enhanced Full Rate (EFR) speech traffic channels (GSM 06.81 version 4.0.1)

**EN 301 249**

Digital cellular telecommunications system (Phase 2). Voice Activity Detector (VAD) for Enhanced Full Rate (EFR) speech traffic channels (GSM 06.82 version 4.0.1)

**EN 301 250**

Digital cellular telecommunications system (Phase 2). Test sequences for the GSM Enhanced Full Rate (EFR) speech coded. (GSM 06.54 version 4.0.1)

**EN 301 251**

Digital cellular telecommunications system (Phase 2). Fault management of the Base Station System (BSS) (GSM 12.11 version 4.2.1)

**EN 301 344**

Digital cellular telecommunications system (Phase 2+). General Packet Radio Service (GPRS). Service description. Stage 2 (GSM 03.60 version 6.3.2)

**EN 301 347**

Digital cellular telecommunications system (Phase 2+). General Packet Radio Service (GPRS). GPRS Tunnelling Protocol (GTP) across the Gn and Gp interface (GSM 09.60 version 6.4.1 Release 1997)

**EN 301 349**

Digital cellular telecommunications system (Phase 2+). General Packet Radio Service (GPRS). Mobile Station (MS). Base Station System (BSS) interface. Radio Link Control/Medium Access Control (RLC/MAC) protocol (GSM 04.60 version 6.3.1)

**ETS 300 303**

Integrated services digital network (ISDN). Global system for mobile communications (GSM) public land mobile network (PLMN) signalling interface

**ETS 300 370**

Radio Equipment and Systems (RES). Digital Enhanced Cordless Telecommunications / Global System for Mobile communications (DECT/GSM). DECT/GSM interworking profile. Access and mapping (protocol/procedure description for 3,1 kHz speech service)

**ETS 300 466**

Radio Equipment and Systems (RES). Digital European Cordless Telecommunications/Global System for Mobile communications (DECT/GSM) inter-working profile. General description of service requirements. Functional capabilities and information flows

**ETS 300 482**

Integrated Services Digital Network (ISDN). ISDN. Global System for Mobile communications (GSM). Public Land Mobile Network (PLMN) signalling interface. Test specification

**ETS 300 499**

Radio Equipment and Systems (RES). Digital Enhanced Cordless Telecommunications/Global System for Mobile Communications (DECT/GSM) interworking profile. Mobile services Switching Centre (MSC) . Fixed Part (FP) interconnection

**ETS 300 500**

European digital cellular telecommunication system (Phase 2). Principles of telecommunication services supported by a GSM Public Land Mobile Network (PLMN) (GSM 02.01)

**ETS 300 501**

European digital cellular telecommunications system (Phase 2). Principles of telecommunication services supported by a GSM Public Land Mobile Network (PLMN) (GSM 02.02)

**ETS 300 502**

European digital cellular telecommunications system (Phase 2). Teleservices supported by a GSM. Public Land Mobile Network (PLMN)(GSM 02.03)

**ETS 300 503**

European digital cellular telecommunications system (Phase 2). General on supplementary services (GSM 02.04)

**ETS 300 506**

Digital cellular telecommunications system (Phase 2). Security aspects (GSM 02.09 version 4.4.0)

**ETS 300 507**

Digital cellular telecommunications system (Phase 2). Service accessibility (GSM 02.11)

**ETS 300 508**

European digital cellular telecommunications system (Phase 2). International Mobile station Equipment Identities (IMEI) (GSM 02.16)

**ETS 300 509**

European digital cellular telecommunications system (Phase 2). Subscriber Identity Modules (SIM). Functional characteristics (GSM 02.1)

**ETS 300 510**

European digital cellular telecommunications system (Phase 2). Description of Charge Advice Information (CAI) (GSM 02.24)

**ETS 300 512**

European digital cellular telecommunications system (Phase 2). Procedures for call progress indications (GSM 02.40)

**ETS 300 513**

European digital cellular telecommunications system (Phase 2). Operator determined barring (GSM 02.41)

**ETS 300 514**

Digital cellular telecommunications system (Phase 2). Line identification supplementary services. Stage 1 (GSM 02.81 version 4.6.1)

**ETS 300 515**

European digital cellular telecommunications system (Phase 2). Call Forwarding (CF) supplementary services. Stage 1 (GSM 02.82)

**ETS 300 516**

European digital cellular telecommunications system (Phase 2). Call Waiting (CW) and Call Holding (HOLD) supplementary services. Stage 1 (GSM 02.83)

**ETS 300 517**

European digital cellular telecommunications system (Phase 2). MultiParty (MPTY) supplementary services. Stage 1 (GSM 02.84)

**ETS 300 518**

European digital cellular telecommunications system (Phase 2). Closed User Group (CUG) supplementary services. Stage 1 (GSM 02.85)

**ETS 300 519**

European digital cellular telecommunications system (Phase 2). Advice of Charge (AoC) supplementary services. Stage 1 (GSM 02.86)

**ETS 300 520**

European digital cellular telecommunications system (Phase 2). Call Barring (CB) supplementary services. Stage 1 (GSM 02.88)

**ETS 300 521**

European digital cellular telecommunications system (Phase 2). Network functions (GSM 03.01)

**ETS 300 522**

Digital cellular telecommunications system (Phase 2). Network architecture (GSM 03 .02)

**ETS 300 524**

European digital cellular telecommunications system (Phase 2). Signalling requirements relating to routing of calls to mobile subscribers (GSM 03.04)

**ETS 300 525**

European digital cellular telecommunications system (Phase 2). Restoration procedures (GSM 03.07)

**ETS 300 526**

Digital cellular telecommunications system (Phase 2). Organisation of subscriber data (GSM 03.08)

**ETS 300 527**

Digital cellular telecommunications system (Phase 2). Handover procedures (GSM 03 .09)

**ETS 300 528**

European digital cellular telecommunications system (Phase 2). GSM Public Land Mobile Network (PLMN) connection types (GSM 03.10)

**ETS 300 529**

Digital cellular telecommunications system (Phase 2). Technical realization of supplementary services (GSM 03.11)

**ETS 300 530**

European digital cellular telecommunication system (Phase 2). Location registration procedures (GSM 03.12)

**ETS 300 531**

European digital cellular telecommunications system (Phase 2). Discontinuous Reception (DRX) in the GSM system (GSM 03.13)

**ETS 300 532**

European digital cellular telecommunications system (Phase 2). Support of Dual Tone Multi-Frequency signalling (DTMF) via the GSM system (GSM 03.14)

**ETS 300 533**

European digital cellular telecommunications system (Phase 2). Technical realization of operator determined barring (GSM 03.15)

**ETS 300 534**

Digital cellular telecommunications system (Phase 2). Security related network functions (GSM 03.20 version 4.4.1)

**ETS 300 535**

Digital cellular telecommunications system (Phase 2). Functions related to Mobile Station (MS) in idle mode (GSM 03.22)

**ETS 300 536**

Digital cellular telecommunications system (Phase 2); Technical realization of the Short Message Service (SMS) Point-to-Point (PP) (GSM 03.04)

**ETS 300 537**

European digital cellular telecommunications system (Phase 2). Technical realization of Short Message Service Cell Broadcast (SMSCB) (GSM 03.41)

**ETS 300 538**

European digital cellular telecommunications system (Phase 2). Technical realization of facsimile group 3 transparent (GSM 03.45)

**ETS 300 539**

European digital cellular telecommunications system (Phase 2). Technical realization of facsimile group 3 non-transparent (GSM 03.46)

**ETS 300 540**

Digital cellular telecommunications system (Phase 2). Transmission planning aspects of the speech service in the

GSM Public Land Mobile Network (PLMN) system (GSM 03.50 version 4.6.0)

**ETS 300 541**

European digital cellular telecommunications system (Phase 2). Routing of calls to/from Public Data Networks (PDN) (GSM 03.70)

**ETS 300 542**

Digital cellular telecommunications system (Phase 2). Line identification supplementary services. Stage 2 (GSM 03.81 version 4.81)

**ETS 300 543**

Digital cellular telecommunications system (Phase 2). Call Forwarding (CF) supplementary services. Stage 2 (GSM 03.82)

**ETS 300 544**

European digital cellular telecommunications system (Phase 2). Call Waiting (CW) and Call Hold (HOLD) supplementary services. Stage 2 (GSM 03.83)

**ETS 300 545**

European digital cellular telecommunications system (Phase 2). Multi Party (MPTY) supplementary services. Stage 2 (GSM 03.82)

**ETS 300 546**

European digital cellular telecommunication system (Phase 2). Closed User Group (CUG) supplementary services. Stage 2 (GSM 03.85)

**ETS 300 547**

European digital cellular telecommunications system (Phase 2). Advice of Charge (AoC) supplementary services. Stage 2 (GSM 03.86)

**ETS 300 548**

European digital cellular telecommunications system (Phase 2). Call Barring (CB) supplementary services. Stage 2 (GSM 03.88)

**ETS 300 549**

Digital cellular telecommunications system (Phase 2). Unstructured Supplementary Service Data (USSD). Stage 2 (GSM 03.90)

**ETS 300 550**

European digital cellular telecommunications system (Phase 2). Mobile Station. Base Station System (MS-BSS) interface, General aspects and principles (GSM 04.01)

**ETS 300 551**

European digital cellular telecommunication system (Phase 2). GSM Public Land Mobile Network (PLMN) access reference configuration (GSM 04.02)

**ETS 300 552**

European digital cellular telecommunications system (Phase 2). Mobile Station. Base Station System (MS-BSS) interface, Channel structures and access capabilities (GSM 04.03)

**ETS 300 553**

European digital cellular telecommunications system (Phase 2). Layer 1. General requirements (GSM 04.04)

**ETS 300 554**

European digital cellular telecommunications system (Phase 2). Data Link (DL) layer . General aspects (GSM 04.05)

**ETS 300 555**

European digital cellular telecommunications system (Phase 2). Mobile Station. Base Station System (MS-BSS) interface. Data Link (DL) layer specification (GSM 04.06)

**ETS 300 556**

European digital cellular telecommunications system (Phase 2). Mobile radio interface signalling layer 3. General aspects (GSM 04.07)

**ETS 300 557**

Digital cellular telecommunications system (Phase 2). Mobile radio interface. Layer 3 specification (GSM 04.08 version 4.23.1)

**ETS 300 558**

Digital cellular telecommunications system (Phase 2). Mobile radio interface layer 3. Supplementary services specification. General aspects (GSM 04.10)

**ETS 300 559**

Digital cellular telecommunications system (Phase 2). Point-to-Point (PP) Short Message Services (SMS) support on mobile radio interface (GSM 04.11)

**ETS 300 560**

Digital cellular telecommunications system (Phase 2). Short message service cell broadcast (SMSCB) support on the mobile radio interface (GSM 04.12)

**ETS 300 561**

Digital cellular telecommunications system (Phase 2). Performance requirements on the mobile radio interface (GSM 04.13)

**ETS 300 562**

European digital cellular telecommunications system (Phase 2). Rate adaptation on the Mobile Station. Base Station System (MS. BSS) interface (GSM 04.21)

**ETS 300564**

Digital cellular telecommunications system (Phase 2). Mobile radio interface layer 3. Supplementary services specification. Formats and coding (GSM 04.80)

**ETS 300 565**

European digital cellular telecommunications system (Phase 2). Line identification supplementary services. Stage 3 (GSM 04.81)

**ETS 300 566**

Digital cellular telecommunications system (Phase 2). Call Forwarding (CF) supplementary services. Stage 3 (GSM 04.82)

**ETS 300 567**

Digital cellular telecommunications system (Phase 2). Call Waiting (CW) and Call Hold (HOLD) supplementary services. Stage 3 (GSM 04.83)

**ETS 300 568**

European digital cellular telecommunications system (Phase 2). Multi Party (MPTY) supplementary services. Stage 3 (GSM 04.84)

**ETS 300 569**

Digital cellular telecommunications system (Phase 2). Closed User Group (CUG) supplementary services. Stage 3 (GSM 04.85)

**ETS 300 570**

European digital cellular telecommunications system (Phase 2). Advice of Charge (AoC) supplementary services. Stage 3 (GSM 04.86)

**ETS 300 571**

Digital cellular telecommunications system (Phase 2). Call Barring (CB) supplementary services. Stage 3 (GSM 04.88)

**ETS 300 572**

European digital cellular telecommunications system (Phase 2). Unstructured Supplementary Service Data (USSD). Stage 3 (GSM 04.09)

**ETS 300 573**

European digital cellular telecommunications system (Phase 2). Physical layer on the radio path. General description (GSM 05.01)

**ETS 300 574**

Digital cellular telecommunications system (Phase 2). Multiplexing and multiple access on the radio path (GSM 05.02 version 4.10.1)

**ETS 300 575**

Digital cellular telecommunications system (Phase 2). Channel coding (GSM 05.03 version 4.4.1)

**ETS 300 575**

Digital cellular telecommunications system (Phase 2). Channel coding (GSM 05.03 version 4.5.1)

**ETS 300 576**

European digital cellular telecommunications system (Phase 2). Modulation (GSM 05 .04)

**ETS 300 577**

Digital cellular telecommunications system (Phase 2). Radio transmission and reception (GSM 05.05 version 4.22.2)

**ETS 300 578**

Digital cellular telecommunications system (Phase 2). Radio subsystem link control (GSM 05.08 version 4.22.0)

**ETS 300 579**

Digital cellular telecommunications system (Phase 2). Radio subsystem synchronization (GSM 05.10)

**ETS 300 580-1**

Digital cellular telecommunications system (Phase 2). Full rate speech. Part 1: Processing functions (GSM 06.01 version 4.0.7)

**ETS 300 580-2**

Digital cellular telecommunications system (Phase 2). Full rate speech. Part 2: Transcoding (GSM 06.10 version 4.1.1)

**ETS 300 580-3**

Digital cellular telecommunications system (Phase 2). Full rate speech. Part 3: Substitution and muting of lost frames for full rate speech channels (GSM 06.11 version 4.0.6)

**ETS 300 580-4**

European digital cellular telecommunications system (Phase 2). Comfort noise aspect for full rate speech traffic channels (GSM 06.12)

**ETS 300 580-6**

Digital cellular telecommunications system (Phase 2). Full rate speech. Part 6: Voice Activity Detection (VAD) for full rate speech traffic channels (GSM 06.32 version 4.3.1)

**ETS 300 581-1**

European digital cellular telecommunications system. Half rate speech. Part 1: Half rate speech processing functions (GSM 06.02)

**ETS 300 581-2**

Digital cellular telecommunications system (Phase 2). Half rate speech. Part 2: Half rate speech transcoding (GSM 06.20 version 4.3.1)

**ETS 300 581-3**

European digital cellular telecommunications system. Half rate speech. Part 3: Substitution and muting of lost frames for half rate speech traffic channels (GSM 06.21)

**ETS 300 581-4**

European digital cellular telecommunications system. Half rate speech. Part 4: Comfort noise aspects for the half rate speech traffic channel (GSM 06.22)

**ETS 300 581-5**

European digital cellular telecommunications system. Half rate speech. Part 5: Discontinuous Transmission (DTX) for half rate speech traffic channels (GSM 06.41)

**ETS 300 581-7**

Digital cellular telecommunications system. Half rate speech. Part 7: ANSI-C code for the GSM half rate speech

codec (GSM 06.06 version 4.2.1)

**ETS 300 581-8**

Digital cellular telecommunications system. Half rate speech. Part 8: Test sequences for the GSM half rate speech codec (GSM 06.07 version 4.2.1)

**ETS 300 582**

Digital cellular telecommunications system (Phase 2). General on Terminal Adaptation Functions (TAF) for Mobile Stations (MS) (GSM 07.01)

**ETS 300 583**

European digital cellular telecommunications system (Phase 2). Terminal Adaptation Functions (TAF) for services using asynchronous bearer capabilities (GSM 07.02)

**ETS 300 585**

Digital cellular telecommunications system (Phase 2). Use of Data Terminal Equipment. Data Circuit terminating Equipment (DTE. DCE) interface for Short Message Service (SMS) and Cell Broadcast Service (CBS) (GSM 07.05)

**ETS 300 586**

European digital cellular telecommunications system (Phase 2). Use of the V series Data Terminal Equipment. Data Circuit terminating Equipment (DTE. DCE) interface at the Mobile Station (MS) for Mobile Termination (MT) configuration (GSM 07.06)

**ETS 300 587-1**

European digital cellular telecommunications system (Phase 2). Base Station System. Mobile-services Switching Centre (BSS-MSC) interface. General aspects (GSM 08.01)

**ETS 300 587-2**

European digital cellular telecommunications system (Phase 2). Base Station System. Mobile-services Switching Centre (BSS. MSC) interface. Interface principles (GSM 08 .02)

**ETS 300 588**

European digital cellular telecommunications system (Phase 2). Base Station System. Mobile-services Switching Centre (BSS-MSC) interface. Layer 1 specification (GSM 08.04)

**ETS 300 589**

European digital cellular telecommunications system (Phase 2). Signalling transport mechanism specification for the Base Station System. Mobile-services Switching Centre (BSS. MSC) interface (GSM 08 .06)

**ETS 300 590**

Digital cellular telecommunications system (Phase 2). Mobile-services Switching Centre. Base Station System (MSC. BSS) interface: Layer 3 specification (GSM 08.08 version 4.12.1)

**ETS 300 591**

European digital cellular telecommunications system (Phase 2). Rate adaptation on the Base Station System. Mobile-services Switching Centre (BSS. MSC) interface (GSM 08.20)

**ETS 300 592**

European digital cellular telecommunications system (Phase 2). Base Station Controller. Base Transceiver Station (BSC. BTS) interface. General aspects. (GSM 08.51)

**ETS 300 593**

European digital cellular telecommunications system (Phase 2). Base Station Controller. Base Transceiver Station (BSC-BTS) interface. Interface principles (GSM 08.52)

**ETS 300 595**

European digital cellular telecommunications system (Phase 2). Base Station Controller. Base Transceiver Station (BSC-BTS) interface. Layer 2 specification (GSM 08.56)

**ETS 300 596**

Digital cellular telecommunications system (Phase 2). Base Station Controller. Base Transceiver Station (BSC. BTS) interface Layer 3 specification (GSM 08.58)

**ETS 300 597**

Digital cellular telecommunications system (Phase 2). Inband control of remote transcoders and rate adaptors for Enhanced Full Rate (EFR) and full rate traffic channels (GSM 08.60 version 4.2 .1)

**ETS 300 599**

Digital cellular telecommunications system (Phase 2). Mobile Application Part (MAP) specification (GSM 09.02 version 4.17.1)

**ETS 300 600**

European digital cellular telecommunications system (Phase 2). Signalling requirements on interworking between the Integrated Services Digital Network (ISDN) or Public Switched Telephone Network (PSTN) and the Public Land Mobile Network (PLMN) (GSM 09.03)

**ETS 300 601**

European digital cellular telecommunications system (Phase 2). Interworking between the Public Land Mobile Network (PLMN) and the Circuit Switched Public Data Network (CSPDN) (GSM 09.04)

**ETS 300 602**

European digital cellular telecommunications system (Phase 2). Interworking between the Public Land Mobile Network (PLMN) and the Packet Switched Public Data Network (PSPDN) for Packet Assembly/Disassembly (PAD) facility access (GSM 09.05)

**ETS 300 604**

Digital cellular telecommunications system (Phase 2). General requirements on inter-working between the Public Land Mobile Network (PLMN) and the Integrated Services Digital Network (ISDN) or Public Switched Telephone Network (PSTN) (GSM 09.07 version 4.

**ETS 300 606**

Digital cellular telecommunications system (Phase 2). Signalling interworking for supplementary services (GSM 09.11)

**ETS 300 609-2**

Digital cellular telecommunications system (Phase 2). Base Station System (BSS) equipment specification. Part 2: Signalling aspects (GSM 11.23 version 4.9.1)

**ETS 300 609-3**

Digital cellular telecommunications system (Phase 2). Base Station System (BSS) equipment specification. Part 3: Transcoder aspects (GSM 11.24 version 4.3.0)

**ETS 300 609-4**

Digital cellular telecommunications system (Phase 2 and Phase 2+). Base Station System (BSS) equipment specification. Part 4: Repeaters (GSM 11.26 version 5.2.1)

**ETS 300 612-1**

European digital cellular telecommunications system (Phase 2). Network Management (NM). Part 1: Objectives and structure of Network Management (GSM 12.00)

**ETS 300 612-2**

European digital cellular telecommunications system (Phase 2). Network Management (NM). Part 2: Common aspects of GSM/DCS 1800 Network Management (GSM 12.01)

**ETS 300 613**

European digital cellular telecommunications system (Phase 2). Subscriber, Mobile Equipment (ME) and services data administration (GSM 12.02)

**ETS 300 614**

Digital cellular telecommunications system (Phase 2). Security management (GSM 12 .03)

**ETS 300 615**

Digital cellular telecommunications system (Phase 2). Performance data measurements (GSM 12.04)

**ETS 300 616**

Digital cellular telecommunications system (Phase 2).Subscriber related event and call data (GSM 12.05 version 4.3.1)

**ETS 300 617**

European digital cellular telecommunications system (Phase 2); GSM Network configuration management (GSM 12.06)

**ETS 300 622**

European digital cellular telecommunications system (Phase 2). Base Station System (BSS) Management Information (GSM 12.20)

**ETS 300 623**

European digital cellular telecommunications system (Phase 2). Network Management (NM) procedures and message on the A-bis interface (GSM 12.21)

**ETS 300 624**

Digital cellular telecommunications system (Phase 2). Interworking of GSM Network Management (NM) procedures and messages at the Base Station Controller (BSC) (GSM 12.22)

**ETS 300 625**

Digital cellular telecommunications system (Phase 2). Unstructured Supplementary Service Data (USSD). Stage 1 (GSM 02.90 version 4.1.1)

**ETS 300 626**

European digital cellular telecommunications system (Phase 2). Application of the base station system. Application part (BSSAP) on the E-interface (GSM 09.08)

**ETS 300 627**

Digital cellular telecommunications system (Phase 2). Subscriber and equipment trace (GSM 12.08 version 4.5.1)

**ETS 300 628**

European digital cellular telecommunications system (Phase 2). Alphabets and language-specific information (GSM 03.38)

**ETS 300 629**

Digital cellular telecommunications system (Phase 2). Subscriber data management. Stage 2 (GSM 03.16)

**ETS 300 702-1**

Radio Equipment and Systems (RES). Digital Enhanced Cordless Telecommunications/ Global System for Mobile communications (DECT/GSM) Inter-working profile. Part 1: Profile Test Specification (PTS) summary

**ETS 300 702-2**

Radio Equipment and Systems (RES). Digital Enhanced Cordless Telecommunications/ Global System for Mobile communications (DECT/GSM) Interworking Profile (IWP). Profile Test Specification (PTS). Profile Specific Test Specification (PSTS). Part 2: Portable

**ETS 300 702-3**

Radio Equipment and Systems (RES). Digital Enhanced Cordless Telecommunications/ Global System for Mobile communications (DECT/GSM) Interworking Profile (IWP). Profile Test Specification (PTS). Profile Specific Test Specification (PSTS). Part 3: Fixed ra

**ETS 300 704-1**

Radio Equipment and Systems (RES). Digital Enhanced Cordless Telecommunications/Global System for Mobile communications (DECT/GSM) Inter-Working Profile (IWP). Profile Implementation Conformance Statement (ICS). Part 1: Portable radio Termination (PT)

**ETS 300 704-2**

Radio Equipment and Systems (RES). Digital Enhanced Cordless Telecommunications/Global System for Mobile communications (DECT/GSM) Inter-Working Profile (IWP). Profile Implementation Conformance Statement (ICS). Part 2: Fixed radio Termination (FT)

**ETS 300 726**

Digital cellular telecommunications system. Enhanced Full Rate (EFR) speech transcoding (GSM 06.60 version 5.2.1)

**ETS 300 756**

Radio Equipment and Systems (RES). Digital Enhanced Cordless Telecommunications/Global System for Mobile communications (DECT/GSM) interworking profile. Implementation of bearer services

**ETS 300 764**

Radio Equipment and Systems (RES). Digital Enhanced Cordless Telecommunications/Global System for Mobile communications (DECT/GSM) Interworking Profile (IWP). Implementation of short message service, point-to-point and cell broadcast

**ETS 300 787**

Digital Enhanced Cordless Telecommunications (DECT). Global System for Mobile communications (GSM). Integrated Services Digital Network (ISDN). DECT access to GSM via ISDN. General description of service requirements

**ETS 300 788**

Digital Enhanced Cordless Telecommunications (DECT). Global System for Mobile communications (GSM). Integrated Services Digital Network (ISDN). DECT access to GSM via ISDN. Functional capabilities and information flows

**ETS 300 792**

Radio Equipment and Systems (RES). Digital Enhanced Cordless Telecommunications / Global System for Mobile communications (DECT/GSM). DECT/GSM interworking profile. Implementation of facsimile group 3

**ETS 300 900**

Digital cellular telecommunications system (Phase 2+). Alphabets and language-specific information (GSM 03.38 version 5.6.1)

**ETS 300 901**

Digital cellular telecommunications system (Phase 2+). Technical realization of the Short Message Service (SMS). Point-to-Point (PP) (GSM 03.40 version 5.8.1 Release 1996)

**ETS 300 902**

Digital cellular telecommunications system (Phase 2+). Technical realization of the Short Message Service Cell Broadcast (SMS-CB) (GSM 03.41 version 5.9.1)

**ETS 300 903**

Digital cellular telecommunications system (Phase 2+). Transmission planning aspects of the speech service in the GSM Public Land Mobile Network (PLMN) system (GSM 03.40 version 5.3 .1)

**ETS 300 905**

Digital cellular telecommunications system (Phase 2+). Teleservices supported by a GSM Public Land Mobile Network (PLMN). (GSM 02.03 version 5.3.2)

**ETS 300 908**

Digital cellular telecommunications system (Phase 2+). Multiplexing and multiple access on the radio path (GSM 05.02 version 5.8.1 Release 1996)

**ETS 300 910**

Digital cellular telecommunications system (Phase 2+). Radio transmission and reception (GSM 05.05 version 5.10.0)

**ETS 300 911**

Digital cellular telecommunications system (Phase 2+). Radio subsystem link control (GSM 05.08 version 5.9.0)

**ETS 300 912**

Digital cellular telecommunications system (Phase 2+). Radio subsystem synchronization (GSM 05.10 version 5.2.2 Release 1996)

**ETS 300 914**

Digital cellular telecommunications system (Phase 2+). Terminal Adaptation Functions (TAF) for services using asynchronous bearer capabilities (GSM 07.02 version 5.5.1)

**ETS 300 915**

Digital cellular telecommunications system (Phase 2+). Terminal Adaptation Functions (TAF) for services using synchronous bearer capabilities (GSM 07.03 version 5.4.1)

**ETS 300 917**

Digital cellular telecommunications system (Phase 2+). GSM Application Programming Interface (GSM-API)

(GSM 07.08 version 5.2.1)

**ETS 300 918**

Digital cellular telecommunications system (Phase 2+). General on supplementary services (GSM 02.04 version 5.7.1)

**ETS 300 921**

Digital cellular telecommunications system. Service accessibility (GSM 02.11 version 5.0.1)

**ETS 300 922**

Digital Cellular telecommunications system. Subscriber Identity Modules (SIM). Functional characteristics (GSM 02.17 version 5.1.1)

**ETS 300 927**

Digital cellular telecommunications system (Phase 2+). Numbering, addressing and identification (GSM 03.03 version 5.2.1 Release 1996)

**ETS 300 929**

Digital cellular telecommunications system. Security related network functions (GSM 03.20 version 5.2.0)

**ETS 300 930**

Digital cellular telecommunications system (Phase 2+). Functions related to Mobile Station (MS) in idle mode and group receive mode (GSM 03.22 version 5.3.1)

**ETS 300 932**

Digital cellular telecommunications system (Phase 2+). Enhanced Multi-Level Precedence and Pre-emption service (eMLPP). Stage 2 (GSM 03.67 version 5.1.1)

**ETS 300 933**

Digital cellular telecommunications system (Phase 2+). Voice Group Call Service (VGCS). Stage 2 (GSM 03.68 version 5.5.1)

**ETS 300 934**

Digital cellular telecommunications system (Phase 2+). Voice Broadcast Service (VBS). Stage 2 (GSM 03.69 version 5.5.1)

**ETS 300 936**

Digital cellular telecommunications system. Layer 1. General requirements (GSM 04 .04 version 5.0.1)

**ETS 300 939**

Digital cellular telecommunications system (Phase 2+). Mobile radio interface signalling layer 3. General aspects (GSM 04.07 version 5.2.1)

**ETS 300 940**

Digital cellular telecommunications system (Phase 2+). Mobile radio interface. Layer 3 specification (GSM 04.08 version 5.12.1 Release 1996)

**ETS 300 941**

Digital cellular telecommunications system. Mobile radio interface layer 3 Supplementary services specification. General aspects (GSM 04.10 version 5.0.1)

**ETS 300 942**

Digital cellular telecommunications system (Phase 2+). Point-to-Point (PP) Short Message Service (SMS) support on mobile radio interface (GSM 04.11 version 5.2.1)

**ETS 300 948**

Digital cellular telecommunications system (Phase 2+). Group Call Control (GCC) protocol (GSM 04.68 version 5.2.1 Release 1996)

**ETS 300 950**

Digital cellular telecommunications system (Phase 2+). Mobile radio interface layer 3 supplementary services specification. Formats and coding (GSM 04.80 version 5.3.1)

**ETS 300 974**

Digital cellular telecommunications system (Phase 2+). Mobile Application Part (MAP) specification (GSM 09.02

version 5.12.1 Release 1996)

**ETS 300 976**

Digital cellular telecommunications system (Phase 2+). General requirements on interworking between the Public Land Mobile Network (PLMN) and the Integrated Services Digital Network (ISDN) or Public Switched Telephone Network (PSTN) (GSM 09.07 version 5).

**ETS 300 977**

Digital cellular telecommunications system (Phase 2+). Specification of the Subscriber Identity Module-Mobile Equipment (SIM-ME) interface (GSM 11.11 version 5.10.1 Release 1996)

**I-ETS 300 021**

European digital cellular telecommunications system (phase 1). Mobile station base station system (MS-BSS) interface data link layer specification (GSM 04.06)

**I-ETS 300 022-1**

Digital cellular telecommunication system (Phase 2+). Mobile radio interface layer 3 specification. Part 1: Generic (GSM 04.08 version 3.14.0)

**I-ETS 300 022-2**

European digital cellular telecommunications system (Phase 1). Mobile radio interface layer 3 specification. Part 2: DCS extension (GSM 04.08-DCS)

**I-ETS 300 025**

European digital cellular telecommunications system (phase 1). Rate adaptation on the mobile station. Base station system (MS-BSS) interface (GSM 04.21)

**I-ETS 300 030**

European digital cellular telecommunications system (phase 1). Multiplexing and multiple access on the radio path (GSM 05.02)

**I-ETS 300 034-1**

European digital cellular telecommunications systems (phase 1). Radio sub-system link control. Part 1: Generic (GSM 05.08)

**I-ETS 300 034-2**

European digital cellular telecommunications system (phase 1). Radio sub-system link control. Part 2: DCS extension (GSM 05.08-DCS)

**I-ETS 300 044-1**

European digital cellular telecommunications system (phase 1). Mobile application part (MAP). Part 1: Generic (GSM 09.02)

**I-ETS 300 044-1/A1**

en 1995-02-13, 0+5 s. 2)

European digital cellular telecommunications system (Phase 1). Mobile Application Part (MAP). Part 1: Generic (GSM 09.02)

**I-ETS 300 044-1/A2**

European digital cellular telecommunications system (Phase 2). Mobile Application Part (MAP). Part 1: Generic (GSM 09.02)

**I-ETS 300 044-2**

European digital cellular telecommunications system (phase 1). Mobile application part specification. Part 2: DCS extension (GSM 09.02)

**I-ETS 300 045-1**

European digital cellular telecommunications system (Phase 1). Subscriber Identity Module. Mobile Equipment (SIM-ME) interface specification. Part 1: Generic (GSM 11 .11)

**I-ETS 300 045-2**

European digital cellular telecommunications system (Phase 1). Subscriber Identity Module. Mobile Equipment (SIM-ME) interface specification. Part 2: DCS extension (GSM 11 .11)

**I-ETS 300 070**

European digital cellular telecommunications system (Phase 1). Technical realisation of facsimile group 3. Transparent (GSM 03.45)

**I-ETS 300 071**

European digital cellular telecommunications system (Phase 1). Technical realisation of facsimile group 3. Non-transparent (GSM 03.46)

**I-ETS 300 078**

European digital cellular telecommunications system (phase 1); MS-BSS layer 1 general requirements (GSM 04.04)

**I-ETS 300 609-1**

Digital cellular telecommunications system (Phase 2). Base Station System (BSS) equipment specification. Part 1: Radio aspects (GSM 11.21 version 4.13.1)

**4. Vuokrajohtot****THK 38**

Määräys metallijohtimisten tilaajayhteyksien teknisistä ominaisuuksista

**EN 301 164**

Transmission and Multiplexing (TM). Synchronous Digital Hierarchy (SDH). SDH leased lines. Connection characteristics

**EN 301 165**

Transmission and Multiplexing (TM). Synchronous Digital Hierarchy (SDH). SDH leased lines. Network and terminal interface presentation

**ETS 300 247**

Business Telecommunications (BT). Open Network Provision (ONP) technical requirements. 2048 kbit/s digital unstructured leased line (D2048U). Connection characteristics

**ETS 300 247/A1**

Business Telecommunications (BTC). Open Network Provision (ONP) technical requirements. 2048 kbit/s digital unstructured leased line (D2048U) Connection characteristics

**ETS 300 288**

Business telecommunications (BTC). 64 kbit/s digital unrestricted leased line with octet integrity (D64U). Network interface presentation

**ETS 300 288/A1**

Business TeleCommunications (BTC). 64 kbit/s digital unrestricted leased line with octet integrity (D64U). Network interface presentation

**ETS 300 289**

Business telecommunications (BTC). 64 kbit/s digital unrestricted leased line with octet integrity (D64U). Connection characteristics

**EN 300 299**

Broadband Integrated Services Digital Network (B-ISDN). Cell based user network access for 155 520 kbit/s and 622 080 kbit /s. Physical layer interfaces for B-ISDN applications

**ETS 300 418**

Business TeleCommunications (BTC). 2048 kbit/s digital unstructured and structured leased lines (D2048U and D2048S). Network interface presentation

**ETS 300 419**

Business TeleCommunications (BTC). 2048 kbit/s digital structured leased line (D2048S). Connection characteristics

**ETS 300 448**

Business telecommunications (BTC). Ordinary quality voice bandwidth 2-wire analogue leased line (A20).

Connection characteristics and network interface presentation

**ETS 300 449**

Business telecommunications (BTC). Special quality voice bandwidth 2-wire analogue leased line (A2S). Connection characteristics and network interface presentation

**ETS 300 451**

Business telecommunications (BTC). Ordinary quality voice bandwidth 4-wire analogue leased line (A40). Connection characteristics and network interface presentation

**ETS 300 452**

Business telecommunications (BTC). Special quality voice bandwidth 4-wire analogue leased line (A4S). Connection characteristics and network interface presentation

**ETS 300 686**

Business TeleCommunications (BTC). 34 Mbit/s and 140 Mbit/s digital leased lines (D34U, D34S, D140U, D140S). Network interface presentation

**ETS 300 687**

Business TeleCommunications (BTC). 34 Mbit/s digital leased lines (D34U and D34S). Connection characteristics

**ETS 300 688**

Business TeleCommunications (BTC). 34 Mbit/s digital leased lines (D140U and D140S). Connection characteristics

**ETS 300 766**

Business TeleCommunications (BTC). Multiple 64 kbit/s digital unrestricted leased lines with octet integrity presented at a structured 2 048 kbit/s interface at either or both ends (D64M). Connection characteristics and network interface presentation

**5. INTERNET (RFC/IETF)**

**0768**

User Datagram Protocol. J. Postel. Aug-28-1980.

**0791**

Internet Protocol. J. Postel. Sep-01-1981.

**0792**

Internet Control Message Protocol. J. Postel. Sep-01-1981.

**0793**

Transmission Control Protocol. J. Postel. Sep-01-1981.

**0826**

Ethernet Address Resolution Protocol: Or converting network protocol addresses to 48-bit Ethernet address for transmission on Ethernet hardware. D.C. Plummer. Nov-01-1982.

**0854**

Telnet Protocol Specification. J. Postel, J.K. Reynolds. May-01-1983.

**0855**

Telnet Option Specifications. J. Postel, J.K. Reynolds. May-01-1983.

**0856**

Telnet Binary Transmission. J. Postel, J.K. Reynolds. May-01-1983.

**0857**

Telnet Echo Option. J. Postel, J.K. Reynolds. May-01-1983.

**0858**

Telnet Suppress Go Ahead Option. J. Postel, J.K. Reynolds.  
May-01-1983.

**0859**

Telnet Status Option. J. Postel, J.K. Reynolds. May-01-1983.

**0860**

Telnet Timing Mark Option. J. Postel, J.K. Reynolds. May-01-1983.

**0861**

Telnet Extended Options: List Option. J. Postel, J.K. Reynolds.  
May-01-1983.

**0862**

Echo Protocol. J. Postel. May-01-1983.

**0863**

Discard Protocol. J. Postel. May-01-1983.

**0864**

Character Generator Protocol. J. Postel. May-01-1983.

**0865**

Quote of the Day Protocol. J. Postel. May-01-1983.

**0866**

Active users. J. Postel. May-01-1983.

**0867**

Daytime Protocol. J. Postel. May-01-1983.

**0868**

Time Protocol. J. Postel, K. Harrenstien. May-01-1983.

**0891**

DCN local-network protocols. D.L. Mills. Dec-01-1983.

**0894**

Standard for the transmission of IP datagrams over Ethernet networks. C. Hornig. Apr-01-1984.

**0895**

Standard for the transmission of IP datagrams over experimental  
Ethernet networks. J. Postel. Apr-01-1984.

**0903**

Reverse Address Resolution Protocol. R. Finlayson, T. Mann, J.C.  
Mogul, M. Theimer. Jun-01-1984.

**0907**

Host Access Protocol specification. Bolt, Beranek and Newman,  
Inc.. Jul-01-1984.

**0919**

Broadcasting Internet Datagrams. J.C. Mogul. Oct-01-1984.

**0922**

Broadcasting Internet datagrams in the presence of subnets. J.C.  
Mogul. Oct-01-1984.

**0950**

Internet Standard Subnetting Procedure. J.C. Mogul, J. Postel.  
Aug-01-1985.

**0959**

File Transfer Protocol. J. Postel, J.K. Reynolds. Oct-01-1985.

**0974**

Mail routing and the domain system. C. Partridge. Jan-01-1986.

**1001**

Protocol standard for a NetBIOS service on a TCP/UDP transport: Concepts and methods. NetBIOS Working Group in the Defense Advanced Research Projects Agency, Internet Activities Board, End-to-End Services Task Force. Mar-01-1987.

**1002**

Protocol standard for a NetBIOS service on a TCP/UDP transport: Detailed specifications. NetBIOS Working Group in the Defense Advanced Research Projects Agency, Internet Activities Board, End-to-End Services Task Force. Mar-01-1987.

**1006**

ISO transport services on top of the TCP: Version 3. M.T. Rose, D.E. Cass. May-01-1987.

**1034**

Domain names - concepts and facilities. P.V. Mockapetris. Nov-01-1987.

**1035**

Domain names - implementation and specification. P.V. Mockapetris. Nov-01-1987.

**1042**

Standard for the transmission of IP datagrams over IEEE 802 networks. J. Postel, J.K. Reynolds. Feb-01-1988.

**1044**

Internet Protocol on Network System's HYPERchannel: Protocol specification. K. Hardwick, J. Lekashman. Feb-01-1988.

**1051**

Standard for the transmission of IP datagrams and ARP packets over ARCNET networks. P.A. Prindville. Mar-01-1988.

**1055**

Nonstandard for transmission of IP datagrams over serial lines: SLIP. J.L. Romkey. Jun-01-1988.

**1065**

Structure and identification of management information for TCP/IP-based internets. K. McCloghrie, M.T. Rose. Aug-01-1988.

**1088**

Standard for the transmission of IP datagrams over NetBIOS networks. L.J. McLaughlin. Feb-01-1989.

**1112**

Host extensions for IP multicasting. S.E. Deering. Aug-01-1989.

**1119**

Network Time Protocol (version 2) specification and implementation. D.L. Mills. Sep-01-1989.

**1122**

Requirements for Internet hosts - communication layers. R.T. Braden. Oct-01-1989.

**1123**

Requirements for Internet hosts - application and support. R.T. Braden. Oct-01-1989.

**1132**

Standard for the transmission of 802.2 packets over IPX networks. L.J. McLaughlin. Nov-01-1989.

**1155**

Structure and identification of management information for TCP/IP-based internets. M.T. Rose, K. McCloghrie. May-01-1990.

**1157**

Simple Network Management Protocol (SNMP). J.D. Case, M. Fedor, M.L. Schoffstall, C. Davin. May-01-1990.

**1201**

Transmitting IP traffic over ARCNET networks. D. Provan. Feb-01-1991.

**1209**

Transmission of IP datagrams over the SMDS Service. D.M. Piscitello, J. Lawrence. Mar-01-1991.

**1212**

Concise MIB definitions. M.T. Rose, K. McCloghrie. Mar-01-1991.

**1213**

Management Information Base for Network Management of TCP/IP-based internets:MIB-II. K. McCloghrie, M.T. Rose. Mar-01-1991.

**1350**

The TFTP Protocol (Revision 2). K. Sollins. July 1992.

**1390**

Transmission of IP and ARP over FDDI Networks. D. Katz. January 1993.

**1623**

Definitions of Managed Objects for the Ethernet-like Interface Types. F. Kastenholz. May 1994.

**1643**

Definitions of Managed Objects for the Ethernet-like Interface Types. F. Kastenholz. July 1994.

**1661**

The Point-to-Point Protocol (PPP). W. Simpson, Editor. July 1994.

**1662**

PPP in HDLC-like Framing. W. Simpson, Editor. July 1994.

**1700**

Assigned Numbers. J. Reynolds, J. Postel. October 1994.

**1869**

SMTP Service Extensions. J. Klensin, N. Freed, M. Rose, E. Stefferud, D. Crocker. November 1995.

**1870**

SMTP Service Extension for Message Size Declaration. J. Klensin, N. Freed, K. Moore. November 1995.

**1939**

Post Office Protocol - Version 3. J. Myers & M. Rose. May 1996.

**2200**

Internet Official Protocol Standards. J. Postel. June 1997.

**2300**

Internet Official Protocol Standards. J. Postel. May 1998.

**2328**

OSPF Version 2. J. Moy. April 1998.

**2400**

Internet Official Protocol Standards. J. Postel, J. Reynolds. September 1998.

**2427**

Multiprotocol Interconnect over Frame Relay. C. Brown, A. Malis. September 1998.

**2453**

RIP Version 2. G. Malkin. November 1998.

**2500**

Internet Official Protocol Standards. J. Reynolds, R. Braden. June 1999.

**2578**

Structure of Management Information Version 2 (SMIv2). K. McCloghrie, D. Perkins, J. Schoenwaelder. April 1999.

**2579**

Textual Conventions for SMIv2. K. McCloghrie, D. Perkins, J. Schoenwaelder. April 1999.

**2580**

Conformance Statements for SMIv2. K. McCloghrie, D. Perkins, J. Schoenwaelder. April 1999.

## 6. Kytkäntäisten laajakaistaverkkojen standardit

**EN 300 299**

Broadband Integrated Services Digital Network (B-ISDN). Cell based user network access for 155 520 kbit/s and 622 080 kbit /s. Physical layer interfaces for B-ISDN applications

**ETS 300 300**

Broadband Integrated Services Digital Network (B-ISDN). Synchronous Digital Hierarchy (SDH) based user network access. Physical layer User Network Interfaces (UNI) for 155 520 kbit/s and 622 080 kbit/s Asynchronous Transfer Mode (ATM) B-ISDN applications

**ETS 300 337**

Transmission and Multiplexing (TM). Generic frame structures for the transport of various signals (including Asynchronous Transfer Mode (ATM) cells and Synchronous Digital Hierarchy (SDH) elements) at the ITU-T Recommendation G.702 hierarchical rates of

**ETS 300 686**

Business TeleCommunications (BTC). 34 Mbit/s and 140 Mbit/s digital leased lines (D34U, D34S, D14OU, D14OS). Network interface presentation